


# INDUSTRIAL FITTINGS CATALOGUE 2026



**// COMPRESSED AIR** 1

TYPE-A CLAW COUPLINGS - MINQUIP™  
TYPE-S CLAW COUPLINGS - MINQUIP™  
CLAW COUPLINGS ACCESSORIES  
NITTO QUICK CONNECT HI-CUPLA

**// CAMLOCK COUPLINGS** 6**// WATER** 18

B-TYPE COUPLINGS - BAUER COMPATIBLE  
P-TYPE COUPLINGS - PERROT / CARDAN COMPATIBLE  
SUCTION HOSE STRAINERS

**// VACUUM COUPLINGS** 24

T-TYPE VAC COUPLINGS - TRAVIS COMPATIBLE

**// HOSE ENDS** 26

HOSE END - THREADED  
HOSE END - BUTT WELD  
HOSE END - MENDER  
HOSE ENDS ALFACRIMP™ INDUSTRIAL  
HOSE ENDS ALFACRIMP™ CONCRETE  
HOSE END - FLANGED

**// HYGIENIC - FOOD** 32**// MATERIAL HANDLING** 36

SANDBLAST COUPLINGS  
MORTAR COUPLINGS

**// VALVES** 39**// CLAMPING SYSTEMS** 43

SUPER CLAMPS  
WORM DRIVE CLAMPS  
BAND STRAPPING  
PREFORMED CLAMPS  
BOLT CLAMPS  
SLOTTED CRIMP FERRULES

## // TYPE-A CLAW COUPLING MINQUIP™

### // TYPE-A COUPLING TO HOSE END

Hose tail with safety collar and safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Claw Distance Internal mm	Maximum WP PSI
MQAH010	I1MQAH-010	3/8	10	42	300
MQAH013	I1MQAH-013	1/2	13	42	300
MQAH019	I1MQAH-019	3/4	19	42	300
MQAH025	I1MQAH-025	1	25	42	300

### // TYPE-A COUPLING TO MALE BSPT

Male BSPT with safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type	Claw Distance Internal mm	Maximum WP PSI
MQAM010	I1MQAM-010	3/8	BSPT	42	300
MQAM013	I1MQAM-013	1/2	BSPT	42	300
MQAM019	I1MQAM-019	3/4	BSPT	42	300
MQAM025	I1MQAM-025	1	BSPT	42	300

### // TYPE-A COUPLING TO FEMALE BSPP

Female BSPP with safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type	Claw Distance Internal mm	Maximum WP PSI
MQAF010	I1MQAF-010	3/8	BSPP	42	300
MQAF013	I1MQAF-013	1/2	BSPP	42	300
MQAF019	I1MQAF-019	3/4	BSPP	42	300
MQAF025	I1MQAF-025	1	BSPP	42	300

### // TYPE-A COUPLING 3-WAY

Three way connector with safety pin holes - complete with seals - Plated steel



AGA Code	SKU Code			Claw Distance Internal mm	Maximum WP PSI
MQAY	I1MQAY			42	300

### // TYPE-A COUPLING SOLID SEAL

Solid seal - NBR



AGA Code	SKU Code			Claw Distance Internal mm	Maximum WP PSI
MQAS	INMQASS			42	300

## // TYPE-S CLAW COUPLING MINQUIP™

### // TYPE-S COUPLING TO HOSE END

Hose tail with safety collar and safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Claw Distance Internal mm	Maximum WP PSI
MQSH013	I1MQSH-013	1/2	13	45	300
MQSH019	I1MQSH-019	3/4	19	45	300
MQSH025	I1MQSH-025	1	25	45	300
MQSH038	I1MQSH-038	1 1/2	38	74	300
MQSH051	I1MQSH-051	2	51	74	300
MQSH076	I1MQSH-076	3	76	117	300

### // TYPE-S COUPLING TO MALE BSPT

Male BSPT with safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type	Claw Distance Internal mm	Maximum WP PSI
MQSM013	I1MQSM-013	1/2	BSPT	45	300
MQSM019	I1MQSM-019	3/4	BSPT	45	300
MQSM025	I1MQSM-025	1	BSPT	45	300
MQSM038	I1MQSM-038	1 1/2	BSPT	74	300
MQSM051	I1MQSM-051	2	BSPT	74	300
MQSM076	I1MQSM-076	3	BSPT	117	300

### // TYPE-S COUPLING TO FEMALE BSPP

Female BSPP with safety pin holes - complete with seal - Plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type	Claw Distance Internal mm	Maximum WP PSI
MQSF013	I1MQSF-013	1/2	BSPP	45	300
MQSF019	I1MQSF-019	3/4	BSPP	45	300
MQSF025	I1MQSF-025	1	BSPP	45	300
MQSF038	I1MQSF-038	1 1/2	BSPP	74	300
MQSF051	I1MQSF-051	2	BSPP	74	300
MQSF076	I1MQSF-076	3	BSPP	117	300

### // TYPE-S COUPLING 3-WAY

Three way connector with safety pin holes - complete with seals - Plated steel



AGA Code	SKU Code			Claw Distance Internal mm	Maximum WP PSI
MQSY1	I1MQSY-1			45	300
MQSY2	I1MQSY-2			74	300

### // TYPE-S COUPLING BELLOW SEAL

Bellow seal - NBR



AGA Code	SKU Code			Claw Distance Internal mm	Maximum WP PSI
MQSS1	INMQSSL-1			45	300
MQSS2	INMQSSL-2			74	300
MQSS3	INMQSSL-3			117	300

## // CLAW COUPLING ACCESSORIES

### // SAFETY PIN D-SHAPE

Safety pin D-Shape to suit Type-A and Type-S claw couplings - Plated steel



AGA Code	SKU Code			Inner pack qty	Carton qty
MQP	I1Y9N003			100	1000

### // SAFETY PIN MINQUIP™

Safety pin Minquip™ to suit Type-A and Type-S claw couplings - Plated steel



AGA Code	SKU Code				Carton qty
MQP2	I1Y9N005				1000

### // CLAW COUPLING CLAMP MINQUIP™

2 Bolt claw coupling clamp Minquip™ - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm
MQC013	I1MQCL-013025	1/2	13	19	25
MQC019	I1MQCL-019031	3/4	19	28	31
MQC025	I1MQCL-025038	1	25	33	38
MQC038	I1MQCL-038054	1 1/2	38	50	54
MQC051	I1MQCL-051067	2	51	62	68
MQC076	I1MQCL-076094	3	76	90	94

### // CLAW COUPLING CLAMP WITH SAFETY CHAIN

2 Bolt claw coupling clamp Minquip™ with safety chain - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm
MQC038C	I1MQCL-038Z54	1 1/2	38	50	54
MQC051C	I1MQCL-051Z67	2	51	62	68
MQC076C	I1MQCL-076Z94	3	76	90	94

### // CLAW CLAMP SAFETY CHAIN

Safety chain with shackles to suit claw coupling clamp - Plated steel



AGA Code	SKU Code	Length mm			
MQSC	I1LG2MSC-0450	450			

### // INLINE OILER MINQUIP™

Inline Oiler threaded Female BSP - Painted steel



AGA Code	SKU Code	Thread Size inch	Thread Type	Jet type	
MQO	I1MQOT-025	1	Female BSP	Adjustable	

## // CLAW COUPLING ACCESSORIES

### // HOSE RESTRAINT - DOUBLE EYE

Hose restraint with single double eye - Galvanised steel wire with aluminium ferrule



AGA Code	SKU Code	Hose OD min. mm	Length mm	Grip length mm	ABL kg
HRDE033	I1HRS52033-0720	23 - 33	720	550	2430
HRDE044	I1HRS52044-0910	34 - 44	910	600	5010
HRDE055	I1HRS52055-1050	45 - 55	1050	830	5010
HRDE066	I1HRS52066-1250	56 - 66	1250	950	7110
HRDE082	I1HRS52082-1370	67 - 82	1370	1100	7110
HRDE094	I1HRS52094-0500	79 - 94	500	230	7110
HRDE100	I1HRS52100-1600	83 - 100	1600	1320	10000
HRDE130	I1HRS52130-1700	100 - 130	1700	1400	13150
HRDE180	I1HRS52180-2250	130 - 180	2250	1770	17530

### // WHIP CHECK HOSE TO HOSE


Hose to hose whip check - Plated steel with aluminium ferrules



AGA Code	SKU Code	Hose ID mm	Cable Dia mm	Length mm	Max WP PSI
WHIP1	I1Y9K001	13 - 32	3	508	200
WHIP2	I1Y9K002	38 - 51	6	965	200
WHIP3	I1Y9K003	63 - 102	10	1118	200

### // CLAW COUPLING CRIMP FERRULE

Claw Coupling - Minquip™ - Permanent Crimp ferrule - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm
CFC019	I101U019-029032	3/4	19	29	32
CFC025	I101U025-034038	1	25	34	38
CFC038	I101U038-048054	1 1/2	38	48	54
CFC051	I101U051-062067	2	51	62	67



## // NITTO HI-CUPLA PLUG & SOCKET COUPLINGS

### // HI-CUPLA SOCKET TO HOSE END

Hi-Cupla socket to hose end - Chrome plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm		
NFH006	I16N0200-0060N0	1/4	6		
NFH010	I16N0200-0100N0	3/8	10		
NFH013	I16N0200-0130N0	1/2	13		

### // HI-CUPLA SOCKET TO FEMALE BSPP

Hi-Cupla socket to female BSPP - Chrome plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type		
NFF006	I1ANOF106F-N013	1/4	BSPP		
NFF010	I1ANOF106F-N017	3/8	BSPP		
NFF013	I1ANOF106F-N021	1/2	BSPP		

### // HI-CUPLA SOCKET TO MALE BSPT

Hi-Cupla socket to male BSPT - Chrome plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type		
NFM006	I1ANOF107M-N013	1/4	BSPT		
NFM010	I1ANOF107M-N017	3/8	BSPT		
NFM013	I1ANOF107M-N021	1/2	BSPT		

### // HI-CUPLA PLUG TO HOSE END

Hi-Cupla plug to hose end - Chrome plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm		
NMH006	I16N0100-0060N0	1/4	6		
NMH010	I16N0100-0100N0	3/8	10		
NMH013	I16N0100-0130N0	1/2	13		

### // HI-CUPLA PLUG TO FEMALE BSPP

Hi-Cupla plug to female BSPP - Chrome plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type		
NMF006	I1ANOM106F-N013	1/4	BSPP		
NMF010	I1ANOM106F-N017	3/8	BSPP		
NMF013	I1ANOM106F-N021	1/2	BSPP		

### // HI-CUPLA PLUG TO MALE BSPT

Hi-Cupla plug to male BSPT - Chrome plated steel



AGA Code	SKU Code	Thread Size inch	Thread Type		
NMM006	I1ANOM107M-N013	1/4	BSPT		
NMM010	I1ANOM107M-N017	3/8	BSPT		
NMM013	I1ANOM107M-N021	1/2	BSPT		

## // CAMLOCK COUPLINGS TYPE-A

### // CAMLOCK TYPE-A ALUMINIUM

Camlock male adaptor to female BSPP thread - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CA019A	I5A9C606-019027	3/4	19	3/4	BSPP
CA025A	I5A9C606-025034	1	25	1	BSPP
CA032A	I5A9C606-032042	1 1/4	32	1 1/4	BSPP
CA038A	I5A9C606-038049	1 1/2	38	1 1/2	BSPP
CA051A	I5A9C606-051060	2	51	2	BSPP
CA063A	I5A9C606-063076	2 1/2	63	2 1/2	BSPP
CA076A	I5A9C606-076090	3	76	3	BSPP
CA102A	I5A9C606-102114	4	102	4	BSPP
CA127A	I5A9C606-127140	5	127	5	BSPP
CA152A	I5A9C606-152165	6	152	6	BSPP
CA203A	I5A9C606-203219	8	203	8	BSPP

### // CAMLOCK TYPE-A STAINLESS STEEL

Camlock male adaptor to female BSPP thread - 316SS - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CA019S	I3A9C606-019027	3/4	19	3/4	BSPP
CA025S	I3A9C606-025034	1	25	1	BSPP
CA032S	I3A9C606-032042	1 1/4	32	1 1/4	BSPP
CA038S	I3A9C606-038049	1 1/2	38	1 1/2	BSPP
CA051S	I3A9C606-051060	2	51	2	BSPP
CA063S	I3A9C606-063076	2 1/2	63	2 1/2	BSPP
CA076S	I3A9C606-076090	3	76	3	BSPP
CA102S	I3A9C606-102114	4	102	4	BSPP
CA152S	I3A9C606-152165	6	152	6	BSPP

### // CAMLOCK TYPE-A BRASS

Camlock male adaptor to female BSPP thread - Forged brass - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CA019B	I8A9C606-019027	3/4	19	3/4	BSPP
CA025B	I8A9C606-025034	1	25	1	BSPP
CA032B	I8A9C606-032042	1 1/4	32	1 1/4	BSPP
CA038B	I8A9C606-038049	1 1/2	38	1 1/2	BSPP
CA051B	I8A9C606-051060	2	51	2	BSPP
CA063B	I8A9C606-063076	2 1/2	63	2 1/2	BSPP
CA076B	I8A9C606-076090	3	76	3	BSPP
CA102B	I8A9C606-102114	4	102	4	BSPP
CA152B	I8A9C606-152165	6	152	6	BSPP

### // CAMLOCK TYPE-A POLYPROPYLENE

Camlock male adaptor to female BSPP thread - Black polypropylene



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CA019P	IPA9C606-019027	3/4	19	3/4	BSPP
CA025P	IPA9C606-025034	1	25	1	BSPP
CA032P	IPA9C606-032042	1 1/4	32	1 1/4	BSPP
CA038P	IPA9C606-038049	1 1/2	38	1 1/2	BSPP
CA051P	IPA9C606-051060	2	51	2	BSPP
CA076P	IPA9C606-076090	3	76	3	BSPP
CA102P	IPA9C606-102114	4	102	4	BSPP

## // CAMLOCK COUPLINGS TYPE-B

### // CAMLOCK TYPE-B ALUMINIUM

Camlock female coupler to BSPT male thread - Gravity cast aluminium body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CB019A	I5A9C007-019027	3/4	19	3/4	BSPT
CB025A	I5A9C007-025034	1	25	1	BSPT
CB032A	I5A9C007-032042	1 1/4	32	1 1/4	BSPT
CB038A	I5A9C007-038049	1 1/2	38	1 1/2	BSPT
CB051A	I5A9C007-051060	2	51	2	BSPT
CB063A	I5A9C007-063076	2 1/2	63	2 1/2	BSPT
CB076A	I5A9C007-076090	3	76	3	BSPT
CB102A	I5A9C007-102114	4	102	4	BSPT
CB127A	I5A9C007-127140	5	127	5	BSPT
CB152A	I5A9C007-152165	6	152	6	BSPT
CB203A	I5A9C007-203219	8	203	8	BSPT

### // CAMLOCK TYPE-B STAINLESS STEEL

Camlock female coupler to BSPT male thread - 316SS body - Stainless steel levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CB019S	I3A9C007-019027	3/4	19	3/4	BSPT
CB025S	I3A9C007-025034	1	25	1	BSPT
CB032S	I3A9C007-032042	1 1/4	32	1 1/4	BSPT
CB038S	I3A9C007-038049	1 1/2	38	1 1/2	BSPT
CB051S	I3A9C007-051060	2	51	2	BSPT
CB063S	I3A9C007-063076	2 1/2	63	2 1/2	BSPT
CB076S	I3A9C007-076090	3	76	3	BSPT
CB102S	I3A9C007-102114	4	102	4	BSPT
CB152S	I3A9C007-152165	6	152	6	BSPT

### // CAMLOCK TYPE-B BRASS

Camlock female coupler to BSPT male thread - Forged brass body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CB019B	I8A9C007-019027	3/4	19	3/4	BSPT
CB025B	I8A9C007-025034	1	25	1	BSPT
CB032B	I8A9C007-032042	1 1/4	32	1 1/4	BSPT
CB038B	I8A9C007-038049	1 1/2	38	1 1/2	BSPT
CB051B	I8A9C007-051060	2	51	2	BSPT
CB063B	I8A9C007-063076	2 1/2	63	2 1/2	BSPT
CB076B	I8A9C007-076090	3	76	3	BSPT
CB102B	I8A9C007-102114	4	102	4	BSPT
CB152B	I8A9C007-152165	6	152	6	BSPT

### // CAMLOCK TYPE-B POLYPROPYLENE

Camlock female coupler to BSPT male thread - Black polypropylene body - Stainless steel levers - NBR gasket



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CB019P	IPA9C007-019027	3/4	19	3/4	BSPT
CB025P	IPA9C007-025034	1	25	1	BSPT
CB032P	IPA9C007-032042	1 1/4	32	1 1/4	BSPT
CB038P	IPA9C007-038049	1 1/2	38	1 1/2	BSPT
CB051P	IPA9C007-051060	2	51	2	BSPT
CB076P	IPA9C007-076090	3	76	3	BSPT
CB102P	IPA9C007-102114	4	102	4	BSPT

## // CAMLOCK COUPLINGS TYPE-C

### // CAMLOCK TYPE-C ALUMINIUM

Camlock female coupler to hose end - Gravity cast aluminium body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CC019A	I519C200-019019	19	19	250	NO
CC025A	I579C200-025025	25	25	250	YES
CC032A	I579C200-032032	32	32	250	YES
CC038A	I579C200-038038	38	38	250	YES
CC051A	I579C200-051051	51	51	250	YES
CC063A	I579C200-063063	63	63	150	YES
CC076A	I579C200-076076	76	76	150	YES
CC102A	I579C200-102102	102	102	150	YES
CC127A	I579C200-127127	127	127	75	YES
CC152A	I579C200-152152	152	152	75	YES
CC203A	I519C200-203203	203	203	60	NO

### // CAMLOCK TYPE-C STAINLESS STEEL

Camlock female coupler to hose end - 316SS body - Stainless steel levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CC019S	I379C200-019019	19	19	250	YES
CC025S	I379C200-025025	25	25	250	YES
CC032S	I379C200-032032	32	32	250	YES
CC038S	I379C200-038038	38	38	250	YES
CC051S	I379C200-051051	51	51	250	YES
CC063S	I379C200-063063	63	63	150	YES
CC076S	I379C200-076076	76	76	150	YES
CC102S	I379C200-102102	102	102	150	YES
CC152S	I379C200-152152	152	152	75	YES

### // CAMLOCK TYPE-C BRASS

Camlock female coupler to hose end - Forged brass body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CC019B	I819C200-019019	19	19	250	NO
CC025B	I819C200-025025	25	25	250	NO
CC032B	I819C200-032032	32	32	250	NO
CC038B	I819C200-038038	38	38	250	NO
CC051B	I879C200-051051	51	51	250	YES
CC063B	I819C200-063063	63	63	150	NO
CC076B	I879C200-076076	76	76	150	YES
CC102B	I879C200-102102	102	102	150	YES
CC152B	I819C200-152152	152	152	75	NO

### // CAMLOCK TYPE-C POLYPROPYLENE

Camlock female coupler to hose end - Black polypropylene body - Stainless steel levers - NBR gasket



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CC019P	IP19C200-019019	19	19	125	NO
CC025P	IP19C200-025025	25	25	125	NO
CC032P	IP19C200-032032	32	32	100	NO
CC038P	IP19C200-038038	38	38	100	NO
CC051P	IP19C200-051051	51	51	100	NO
CC076P	IP19C200-076076	76	76	60	NO
CC102P	IP19C200-102102	102	102	50	NO

## // CAMLOCK COUPLINGS TYPE-D

### // CAMLOCK TYPE-D ALUMINIUM

Camlock female coupler to BSPP female thread - Gravity cast aluminium body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CD019A	I5A9C806-019027	3/4	19	3/4	BSPP
CD025A	I5A9C806-025034	1	25	1	BSPP
CD032A	I5A9C806-032042	1 1/4	32	1 1/4	BSPP
CD038A	I5A9C806-038049	1 1/2	38	1 1/2	BSPP
CD051A	I5A9C806-051060	2	51	2	BSPP
CD063A	I5A9C806-063076	2 1/2	63	2 1/2	BSPP
CD076A	I5A9C806-076090	3	76	3	BSPP
CD102A	I5A9C806-102114	4	102	4	BSPP
CD127A	I5A9C806-127140	5	127	5	BSPP
CD152A	I5A9C806-152165	6	152	6	BSPP
CD203A	I5A9C806-203219	8	203	8	BSPP

### // CAMLOCK TYPE-D STAINLESS STEEL

Camlock female coupler to BSPP female thread - 316SS body - Stainless steel levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CD019S	I3A9C806-019027	3/4	19	3/4	BSPP
CD025S	I3A9C806-025034	1	25	1	BSPP
CD032S	I3A9C806-032042	1 1/4	32	1 1/4	BSPP
CD038S	I3A9C806-038049	1 1/2	38	1 1/2	BSPP
CD051S	I3A9C806-051060	2	51	2	BSPP
CD063S	I3A9C806-063076	2 1/2	63	2 1/2	BSPP
CD076S	I3A9C806-076090	3	76	3	BSPP
CD102S	I3A9C806-102114	4	102	4	BSPP
CD152S	I3A9C806-152165	6	152	6	BSPP

### // CAMLOCK TYPE-D BRASS

Camlock female coupler to BSPP female thread - Forged brass body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CD019B	I8A9C806-019027	3/4	19	3/4	BSPP
CD025B	I8A9C806-025034	1	25	1	BSPP
CD032B	I8A9C806-032042	1 1/4	32	1 1/4	BSPP
CD038B	I8A9C806-038049	1 1/2	38	1 1/2	BSPP
CD051B	I8A9C806-051060	2	51	2	BSPP
CD063B	I8A9C806-063076	2 1/2	63	2 1/2	BSPP
CD076B	I8A9C806-076090	3	76	3	BSPP
CD102B	I8A9C806-102114	4	102	4	BSPP
CD152B	I8A9C806-152165	6	152	6	BSPP

### // CAMLOCK TYPE-D POLYPROPYLENE

Camlock female coupler to BSPP female thread - Black polypropylene body - Stainless steel levers - NBR gasket



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CD019P	IPA9C806-019027	3/4	19	3/4	BSPP
CD025P	IPA9C806-025034	1	25	1	BSPP
CD032P	IPA9C806-032042	1 1/4	32	1 1/4	BSPP
CD038P	IPA9C806-038049	1 1/2	38	1 1/2	BSPP
CD051P	IPA9C806-051060	2	51	2	BSPP
CD076P	IPA9C806-076090	3	76	3	BSPP
CD102P	IPA9C806-102114	4	102	4	BSPP

## // CAMLOCK COUPLINGS TYPE-E

### // CAMLOCK TYPE-E ALUMINIUM

Camlock male adaptor to hose end - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CE019A	I519C100-019019	19	19	250	NO
CE025A	I579C100-025025	25	25	250	YES
CE032A	I579C100-032032	32	32	250	YES
CE038A	I579C100-038038	38	38	250	YES
CE051A	I579C100-051051	51	51	250	YES
CE063A	I579C100-063063	63	63	150	YES
CE076A	I579C100-076076	76	76	150	YES
CE102A	I579C100-102102	102	102	150	YES
CE127A	I579C100-127127	127	127	75	YES
CE152A	I579C100-152152	152	152	75	YES
CE203A	I519C100-203203	203	203	60	NO

### // CAMLOCK TYPE-E STAINLESS STEEL

Camlock male adaptor to hose end - 316SS - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CE019S	I379C100-019019	19	19	250	YES
CE025S	I379C100-025025	25	25	250	YES
CE032S	I379C100-032032	32	32	250	YES
CE038S	I379C100-038038	38	38	250	YES
CE051S	I379C100-051051	51	51	250	YES
CE063S	I379C100-063063	63	63	150	YES
CE076S	I379C100-076076	76	76	150	YES
CE102S	I379C100-102102	102	102	150	YES
CE152S	I379C100-152152	152	152	75	YES

### // CAMLOCK TYPE-E BRASS

Camlock male adaptor to hose end - Forged brass - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CE019B	I819C100-019019	19	19	250	
CE025B	I819C100-025025	25	25	250	
CE032B	I819C100-032032	32	32	250	
CE038B	I819C100-038038	38	38	250	
CE051B	I879C100-051051	51	51	250	YES
CE063B	I819C100-063063	63	63	150	
CE076B	I879C100-076076	76	76	150	YES
CE102B	I879C100-102102	102	102	150	YES
CE152B	I819C100-152152	152	152	75	

### // CAMLOCK TYPE-E POLYPROPYLENE

Camlock male adaptor to hose end - Black polypropylene



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
CE019P	IP19C100-019019	19	19	125	
CE025P	IP19C100-025025	25	25	125	
CE032P	IP19C100-032032	32	32	100	
CE038P	IP19C100-038038	38	38	100	
CE051P	IP19C100-051051	51	51	100	
CE076P	IP19C100-076076	76	76	60	
CE102P	IP19C100-102102	102	102	50	

## // CAMLOCK COUPLINGS TYPE-F

### // CAMLOCK TYPE-F ALUMINIUM

Camlock male adaptor to male BSPT thread - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CF019A	I5A9C507-019027	3/4	19	3/4	BSPT
CF025A	I5A9C507-025034	1	25	1	BSPT
CF032A	I5A9C507-032042	1 1/4	32	1 1/4	BSPT
CF038A	I5A9C507-038049	1 1/2	38	1 1/2	BSPT
CF051A	I5A9C507-051060	2	51	2	BSPT
CF063A	I5A9C507-063076	2 1/2	63	2 1/2	BSPT
CF076A	I5A9C507-076090	3	76	3	BSPT
CF102A	I5A9C507-102114	4	102	4	BSPT
CF127A	I5A9C507-127140	5	127	5	BSPT
CF152A	I5A9C507-152165	6	152	6	BSPT
CF203A	I5A9C507-203219	8	203	8	BSPT

### // CAMLOCK TYPE-F STAINLESS STEEL

Camlock male adaptor to male BSPT thread - 316SS - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CF019S	I3A9C507-019027	3/4	19	3/4	BSPT
CF025S	I3A9C507-025034	1	25	1	BSPT
CF032S	I3A9C507-032042	1 1/4	32	1 1/4	BSPT
CF038S	I3A9C507-038049	1 1/2	38	1 1/2	BSPT
CF051S	I3A9C507-051060	2	51	2	BSPT
CF063S	I3A9C507-063076	2 1/2	63	2 1/2	BSPT
CF076S	I3A9C507-076090	3	76	3	BSPT
CF102S	I3A9C507-102114	4	102	4	BSPT
CF152S	I3A9C507-152165	6	152	6	BSPT

### // CAMLOCK TYPE-F BRASS

Camlock male adaptor to male BSPT thread - Forged brass - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CF019B	I8A9C507-019027	3/4	19	3/4	BSPT
CF025B	I8A9C507-025034	1	25	1	BSPT
CF032B	I8A9C507-032042	1 1/4	32	1 1/4	BSPT
CF038B	I8A9C507-038049	1 1/2	38	1 1/2	BSPT
CF051B	I8A9C507-051060	2	51	2	BSPT
CF063B	I8A9C507-063076	2 1/2	63	2 1/2	BSPT
CF076B	I8A9C507-076090	3	76	3	BSPT
CF102B	I8A9C507-102114	4	102	4	BSPT
CF152B	I8A9C507-152165	6	152	6	BSPT

### // CAMLOCK TYPE-F POLYPROPYLENE

Camlock male adaptor to male BSPT thread - Black polypropylene



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
CF019P	IPA9C507-019027	3/4	19	3/4	BSPT
CF025P	IPA9C507-025034	1	25	1	BSPT
CF032P	IPA9C507-032042	1 1/4	32	1 1/4	BSPT
CF038P	IPA9C507-038049	1 1/2	38	1 1/2	BSPT
CF051P	IPA9C507-051060	2	51	2	BSPT
CF076P	IPA9C507-076090	3	76	3	BSPT
CF102P	IPA9C507-102114	4	102	4	BSPT

## // CAMLOCK COUPLINGS TYPE-DC

### // CAMLOCK TYPE-DC ALUMINIUM

Camlock female dust cap - Gravity cast aluminium body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDC019A	I5A9C900-019	3/4	19		
CDC025A	I5A9C900-025	1	25		
CDC032A	I5A9C900-032	1 1/4	32		
CDC038A	I5A9C900-038	1 1/2	38		
CDC051A	I5A9C900-051	2	51		
CDC063A	I5A9C900-063	2 1/2	63		
CDC076A	I5A9C900-076	3	76		
CDC102A	I5A9C900-102	4	102		
CDC127A	I5A9C900-127	5	127		
CDC152A	I5A9C900-152	6	152		
CDC203A	I5A9C900-203	8	203		

### // CAMLOCK TYPE-DC STAINLESS STEEL

Camlock female dust cap - 316SS body - Stainless steel levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDC019S	I3A9C900-019	3/4	19		
CDC025S	I3A9C900-025	1	25		
CDC032S	I3A9C900-032	1 1/4	32		
CDC038S	I3A9C900-038	1 1/2	38		
CDC051S	I3A9C900-051	2	51		
CDC063S	I3A9C900-063	2 1/2	63		
CDC076S	I3A9C900-076	3	76		
CDC102S	I3A9C900-102	4	102		
CDC152S	I3A9C900-152	6	152		

### // CAMLOCK TYPE-DC BRASS

Camlock female dust cap - Forged brass body - Brass levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDC019B	I8A9C900-019	3/4	19		
CDC025B	I8A9C900-025	1	25		
CDC032B	I8A9C900-032	1 1/4	32		
CDC038B	I8A9C900-038	1 1/2	38		
CDC051B	I8A9C900-051	2	51		
CDC063B	I8A9C900-063	2 1/2	63		
CDC076B	I8A9C900-076	3	76		
CDC102B	I8A9C900-102	4	102		
CDC152B	I8A9C900-152	6	152		

### // CAMLOCK TYPE-DC POLYPROPYLENE

Camlock female dust cap - Black polypropylene body - Stainless steel levers - NBR gasket



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDC019P	IPA9C900-019	3/4	19		
CDC025P	IPA9C900-025	1	25		
CDC032P	IPA9C900-032	1 1/4	32		
CDC038P	IPA9C900-038	1 1/2	38		
CDC051P	IPA9C900-051	2	51		
CDC076P	IPA9C900-076	3	76		
CDC102P	IPA9C900-102	4	102		

## // CAMLOCK COUPLINGS TYPE-DP

### // CAMLOCK TYPE-DP ALUMINIUM

Camlock male dust plug - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDP019A	I5A9C700-019	3/4	19		
CDP025A	I5A9C700-025	1	25		
CDP032A	I5A9C700-032	1 1/4	32		
CDP038A	I5A9C700-038	1 1/2	38		
CDP051A	I5A9C700-051	2	51		
CDP063A	I5A9C700-063	2 1/2	63		
CDP076A	I5A9C700-076	3	76		
CDP102A	I5A9C700-102	4	102		
CDP127A	I5A9C700-127	5	127		
CDP152A	I5A9C700-152	6	152		
CDP203A	I5A9C700-203	8	203		

### // CAMLOCK TYPE-DP STAINLESS STEEL

Camlock male dust plug - 316SS - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDP019S	I3A9C700-019	3/4	19		
CDP025S	I3A9C700-025	1	25		
CDP032S	I3A9C700-032	1 1/4	32		
CDP038S	I3A9C700-038	1 1/2	38		
CDP051S	I3A9C700-051	2	51		
CDP063S	I3A9C700-063	2 1/2	63		
CDP076S	I3A9C700-076	3	76		
CDP102S	I3A9C700-102	4	102		
CDP152S	I3A9C700-152	6	152		

### // CAMLOCK TYPE-DP BRASS

Camlock male dust plug - Forged brass - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDP019B	I8A9C700-019	3/4	19		
CDP025B	I8A9C700-025	1	25		
CDP032B	I8A9C700-032	1 1/4	32		
CDP038B	I8A9C700-038	1 1/2	38		
CDP051B	I8A9C700-051	2	51		
CDP063B	I8A9C700-063	2 1/2	63		
CDP076B	I8A9C700-076	3	76		
CDP102B	I8A9C700-102	4	102		
CDP152B	I8A9C700-152	6	152		

### // CAMLOCK TYPE-DP POLYPROPYLENE

Camlock male dust plug - Black polypropylene



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CDP019P	IPA9C700-019	3/4	19		
CDP025P	IPA9C700-025	1	25		
CDP032P	IPA9C700-032	1 1/4	32		
CDP038P	IPA9C700-038	1 1/2	38		
CDP051P	IPA9C700-051	2	51		
CDP076P	IPA9C700-076	3	76		
CDP102P	IPA9C700-102	4	102		

## // CAMLOCK COUPLINGS

### // CAMLOCK TYPE-AA ALUMINIUM

Camlock double male adaptor - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Adaptor size inch	Adaptor size inch		
CMM051A	I5A9C5C5-051051	2	2		
CMM051076A	I5A9C5C5-051076	2	3		
CMM076A	I5A9C5C5-076076	3	3		
CMM076102A	I5A9C5C5-076102	3	4		
CMM102A	I5A9C5C5-102102	4	4		

### // CAMLOCK TYPE-DA ALUMINIUM

Camlock female coupler x male adaptor - Gravity cast aluminium - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Adaptor size inch		
CFM076051	I5A9C09C-076051	3	2		
CFM076102	I5A9C09C-076102	3	4		
CFM102076	I5A9C09C-102076	4	3		
CFM152102	I5A9C09C-152102	6	4		

## // CAMLOCK COUPLINGS ACCESSORIES

### // CAMLOCK LEVER BRASS

Camlock lever brass with finger ring plated steel



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CL1B	I8Y9C001	3/4	19		
CL2B	I8Y9C002	1	25		
CL3B	I8Y9C003	1 1/4 - 2 1/2	32 - 63		
CL4B	I8Y9C004	3 - 5	76 - 127		
CL5B	I8Y9C005	6 - 8	152 - 203		

### // CAMLOCK LEVER STAINLESS STEEL

Camlock lever stainless steel with finger ring stainless steel



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CL1S	I3Y9C001	3/4	19		
CL2S	I3Y9C002	1	25		
CL3S	I3Y9C003	1 1/4 - 2 1/2	32 - 63		
CL4S	I3Y9C004	3 - 5	76 - 127		
CL5S	I3Y9C005	6 - 8	152 - 203		

### // CAMLOCK LEVER PIN STAINLESS STEEL

Camlock lever pin - stainless steel



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CLP1S	I2Y9C-PINH-001	3/4	19		
CLP2S	I2Y9C-PINH-002	1	25		
CLP3S	I2Y9C-PINH-003	1 1/4 - 2 1/2	32 - 63		
CLP4S	I2Y9C-PINH-004	3 - 5	76 - 127		
CLP5S	I2Y9C-PINH-005	6 - 8	152 - 203		

## // CAMLOCK COUPLINGS ACCESSORIES

### // CAMLOCK GASKET NBR

Camlock gasket - Nitrile rubber - Black



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CG019N	INJ09C-019	3/4	19		
CG025N	INJ09C-025	1	25		
CG032N	INJ09C-032	1 1/4	32		
CG038N	INJ09C-038	1 1/2	38		
CG051N	INJ09C-051	2	51		
CG063N	INJ09C-063	2 1/2	63		
CG076N	INJ09C-076	3	76		
CG102N	INJ09C-102	4	102		
CG127N	INJ09C-127	5	127		
CG152N	INJ09C-152	6	152		
CG203N	INJ09C-203	8	203		

### // CAMLOCK GASKET VITON

Camlock gasket - Viton rubber - Brown



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
CG019V	IJJ09C-019	3/4	19		
CG025V	IJJ09C-025	1	25		
CG032V	IJJ09C-032	1 1/4	32		
CG038V	IJJ09C-038	1 1/2	38		
CG051V	IJJ09C-051	2	51		
CG063V	IJJ09C-063	2 1/2	63		
CG076V	IJJ09C-076	3	76		
CG102V	IJJ09C-102	4	102		
CG152V	IJJ09C-152	6	152		

## // CAMLOCK COUPLINGS ALFALOCK

### // ALFALOCK TYPE-B ALUMINIUM

Alfalock female coupler to BSPT male thread - Gravity cast aluminium body - brass safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
ALB051A	I5ALB-051	2	51	2	BSPT
ALB076A	I5ALB-076	3	76	3	BSPT
ALB102A	I5ALB-102	4	102	4	BSPT

### // ALFALOCK TYPE-C ALUMINIUM

Alfalock female coupler to hose end - Gravity cast aluminium body - brass safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
ALC025A	I5ALC-025	25	25	250	YES
ALC038A	I5ALC-038	38	38	250	YES
ALC051A	I5ALC-051	51	51	250	YES
ALC076A	I5ALC-076	76	76	150	YES
ALC102A	I5ALC-102	102	102	150	YES

### // ALFALOCK TYPE-D ALUMINIUM

Alfalock female coupler to BSPP Female thread - Gravity cast aluminium body - brass safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
ALD051A	I5ALD-051	2	51	2	BSPP
ALD076A	I5ALD-076	3	76	3	BSPP
ALD102A	I5ALD-102	4	102	4	BSPP

### // ALFALOCK TYPE-DC ALUMINIUM

Alfalock female dust cap - Gravity cast aluminium body - brass safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
ALDC051A	I5ALDC-051	2	51		
ALDC076A	I5ALDC-076	3	76		
ALDC102A	I5ALDC-102	4	102		

### // ALFALOCK LEVER BRASS

Alfalock lever brass with locking ring plated steel



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
ALL2B	I8ALL-002	2	51		
ALL3B	I8ALL-003	3 - 4	76 - 102		

### // ALFALOCK LEVER PIN STAINLESS STEEL

Alfalock lever pin stainless steel for both brass and stainless steel couplings



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
ALP2S	I3ALP-002	2	51		
ALP3S	I3ALP-003	3 - 4	76 - 102		

## // CAMLOCK COUPLINGS ALFALOCK

### // ALFALOCK TYPE-B STAINLESS STEEL

Alfalock female coupler to BSPT male thread - 316SS body - 316SS safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
ALB051S	I3ALB-051	2	51	2	BSPT
ALB076S	I3ALB-076	3	76	3	BSPT
ALB102S	I3ALB-102	4	102	4	BSPT

### // ALFALOCK TYPE-C STAINLESS STEEL

Alfalock female coupler to hose end - 316SS body - 316SS safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Hose ID mm	Coupling size mm	Working Pressure PSI	Locking Collar
ALC025S	I3ALC-025	25	25	250	YES
ALC038S	I3ALC-038	38	38	250	YES
ALC051S	I3ALC-051	51	51	250	YES
ALC076S	I3ALC-076	76	76	150	YES
ALC102S	I3ALC-102	102	102	150	YES

### // ALFALOCK TYPE-D STAINLESS STEEL

Alfalock female coupler to BSPP Female thread - 316SS body - 316SS safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm	Thread inch	Thread type
ALD025S	I3ALD-025	1	51	1	BSPP
ALD038S	I3ALD-038	1 1/2	76	1 1/2	BSPP
ALD051S	I3ALD-051	2	51	2	BSPP
ALD076S	I3ALD-076	3	76	3	BSPP
ALD076SN	I3ALD-076N	3	76	3	NPT
ALD102S	I3ALD-102	4	102	4	BSPP

### // ALFALOCK TYPE-DC STAINLESS STEEL

Alfalock female dust cap - 316SS body - 316SS safety lock levers - NBR gasket - A-A 59326D



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
ALDC051S	I3ALDC-051	2	51		
ALDC076S	I3ALDC-076	3	76		
ALDC102S	I3ALDC-102	4	102		

### // ALFALOCK LEVER STAINLESS STEEL

Alfalock lever stainless steel with locking ring stainless steel



AGA Code	SKU Code	Coupling size inch	Coupling size mm		
ALL2S	I3ALL-002	2	51		
ALL3S	I3ALL-003	3 - 4	76 - 102		

## // B-TYPE COUPLINGS - BAUER COMPATIBLE

### // B-TYPE COUPLING SETS

B-Type coupling sets - Male hose end with lever ring, female hose end with O-Ring - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
BCS050	I119B300-050050	2	51	50	
BCS076	I119B300-076076	3	76	76	
BCS102	I119B300-102108	4	102	108	
BCS152	I119B300-152159	6	152	159	
BCS203	I119B300-203194	8	203	194	
BCS254	I119B300-254251	10	254	251	
BCS305	I119B300-305294	12	305	294	

### // B-TYPE COUPLING MALE HOSE END

B-Type coupling male hose end - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
BMH051	I11SB100-050050	2	51	50	
BMH076	I11SB100-076076	3	76	76	
BMH102	I11SB100-102108	4	102	108	
BMH152	I11SB100-152159	6	152	159	
BMH203	I11SB100-203194	8	203	194	
BMH254	I11SB100-254251	10	254	251	
BMH305	I11SB100-305294	12	305	294	

### // B-TYPE COUPLING MALE LEVER RING

B-Type coupling male lever ring - Plated steel



AGA Code	SKU Code	Coupling size mm			
BLR051	I1Y9B050	50			
BLR076	I1Y9B076	76			
BLR102	I1Y9B108	108			
BLR152	I1Y9B159	159			
BLR203	I1Y9B194	194			
BLR254	I1Y9B251	251			
BLR305	I1Y9B294	294			

### // B-TYPE COUPLING FEMALE HOSE END

B-Type coupling female hose end with O-Ring - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
BFH051	I119B200-050050	2	51	50	
BFH076	I119B200-076076	3	76	76	
BFH102	I119B200-102108	4	102	108	
BFH152	I119B200-152159	6	152	159	
BFH203	I119B200-203194	8	203	194	
BFH254	I119B200-254251	10	254	251	
BFH305	I119B200-305294	12	305	294	

## // B-TYPE COUPLINGS - BAUER COMPATIBLE

### // B-TYPE COUPLING FEMALE O-RING

B-Type coupling female O-Ring - SBR



AGA Code	SKU Code	Coupling size mm			
BG050	ISJM9B-050	50			
BG076	ISJM9B-076	76			
BG102	ISJM9B-108	108			
BG152	ISJM9B-159	159			
BG203	ISJM9B-194	194			
BG254	ISJM9B-251	251			
BG305	ISJM9B-294	294			

### // B-TYPE COUPLING MALE HD CRIMP HOSE END

B-Type coupling male HD crimp hose end - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
BMH102C	I17SB100-102108	4	102	108	
BMH152C	I17SB100-152159	6	152	159	
BMH203C	I17SB100-203194	8	203	194	

### // B-TYPE COUPLING FEMALE HD CRIMP HOSE END

B-Type coupling female HD crimp hose end with O-Ring - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
BFH102C	I179B200-102108	4	102	108	
BFH152C	I179B200-152159	6	152	159	
BFH203C	I179B200-203194	8	203	194	

### // B-TYPE COUPLING MALE TO MALE BSPT

B-Type coupling male to thread - Plated steel



AGA Code	SKU Code	Coupling size mm	Thread inch	Thread type	
BMT076	I1A9B507-076090	76	3	Male BSPT	
BMT102	I1A9B507-108114	108	4	Male BSPT	
BMT152	I1A9B507-159165	159	6	Male BSPT	

### // B-TYPE COUPLING FEMALE TO MALE BSPT

B-Type coupling female to thread with O-Ring - Plated steel



AGA Code	SKU Code	Coupling size mm	Thread inch	Thread type	
BFT076	I1A9B007-076090	76	3	Male BSPT	
BFT102	I1A9B007-108114	108	4	Male BSPT	
BFT152	I1A9B007-159165	159	6	Male BSPT	

## // B-TYPE COUPLINGS - BAUER COMPATIBLE

### // B-TYPE COUPLING MALE TO FLANGE

B-Type coupling male with lever ring to flange - Plated steel



AGA Code	SKU Code	Coupling size mm	Flange size inch	Flange Drilling Pattern	
BMF102E	I1AC829B-102108	108	4	TABLE-D/E	
BMF152E	I1AC829B-152159	159	6	TABLE-D/E	
BMF203E	I1AC829B-203194	194	8	TABLE-D/E	
BMF254D	I1ABZ29B-254251	251	10	TABLE-D	
BMF305D	I1ABZ29B-305294	294	12	TABLE-D	

### // B-TYPE COUPLING FEMALE TO FLANGE

B-Type coupling female with O-Ring to flange - Plated steel



AGA Code	SKU Code	Coupling size mm	Flange size inch	Flange Drilling Pattern	
BFF102E	I1AC839B-102108	108	4	TABLE-D/E	
BFF152E	I1AC839B-152159	159	6	TABLE-D/E	
BFF203E	I1AC839B-203194	194	8	TABLE-D/E	
BFF254D	I1ABZ39B-254251	251	10	TABLE-D	
BFF305D	I1ABZ39B-305294	294	12	TABLE-D	

### // B-TYPE COUPLING FEMALE TO MALE REDUCER

B-Type coupling female to male reducer with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Female Coupling mm	Male Coupling mm		
BFM102076	I1A9B9B-108076	108	76		
BFM152102	I1A9B9B-159108	159	108		
BFM203152	I1A9B9B-194159	194	159		
BFM254203	I1A9B9B-251194	251	194		

### // B-TYPE COUPLING FEMALE TO MALE INCREASER

B-Type coupling female to male increaser with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Female Coupling mm	Male Coupling mm		
BFM076102	I1A9B9B-076108	76	108		
BFM102152	I1A9B9B-108159	108	159		
BFM152203	I1A9B9B-159194	159	194		

### // B-TYPE COUPLING FEMALE TO MALE 45 DEG BEND

B-Type coupling female to male 45 deg bend with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Female Coupling mm	Male Coupling mm		
B45E102	I1A9BD9B-108108	108	108		
B45E152	I1A9BD9B-159159	159	159		
B45E203	I1A9BD9B-194194	194	194		
B45E254	I1A9BD9B-251251	251	251		
B45E305	I1A9BD9B-294294	294	294		

## // B-TYPE COUPLINGS - BAUER COMPATIBLE

### // B-TYPE COUPLING FEMALE TO MALE 90 DEG BEND

B-Type coupling female to male 90 deg bend with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Female Coupling mm	Male Coupling mm		
B90E102	I1A9BG9B-108108	108	108		
B90E152	I1A9BG9B-159159	159	159		
B90E203	I1A9BG9B-194194	194	194		
B90E254	I1A9BG9B-251251	251	251		
B490305	I1A9BG9B-294294	294	294		

### // B-TYPE COUPLING FEMALE / FEMALE / MALE Y-PIECE

B-Type coupling female to male Y-Piece with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Female Coupling mm	Female Coupling mm	Male Coupling mm	
BY102	I1A9BY9B-108	108	108	108	
BY152	I1A9BY9B-159	159	159	159	
BY203	I1A9BY9B-194	194	194	194	

### // B-TYPE COUPLING MALE / MALE / FEMALE RUN TEE

B-Type coupling female to male run tee with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Male Coupling mm	Male Coupling mm	Female Coupling mm	
BRT102	I1A9BL9B-108108	108	108	108	
BRT152	I1A9BL9B-159159	159	159	159	
BRT203	I1A9BL9B-194194	194	194	194	

### // B-TYPE COUPLING FEMALE TO MALE STEP BOW

B-Type coupling female with O-Ring to male with lever ring step bow - Plated steel



AGA Code	SKU Code	Female Coupling mm	Male Coupling mm		
BSB152	I1A9BS9B-159159	159	159		
BSB203	I1A9BS9B-194194	194	194		

### // B-TYPE COUPLING MALE PLUG

B-Type coupling male plug with levers - Plated steel



AGA Code	SKU Code	Coupling size mm			
BMP102	I1A9B700-108	108			
BMP152	I1A9B700-159	159			
BMP203	I1A9B700-194	194			

### // B-TYPE COUPLING FEMALE CAP

B-Type coupling female cap with O-Ring - Plated steel



AGA Code	SKU Code	Coupling size mm			
BFC102	I1A9B900-108	108			
BFC152	I1A9B900-159	159			
BFC203	I1A9B900-194	194			

## // B-TYPE COUPLINGS - BAUER COMPATIBLE

### // B-TYPE COUPLING MALE WELD END

B-Type coupling male weld end - Carbon steel (unplated)



AGA Code	SKU Code	Coupling size mm	Pipe size inch		
BMW102	I0BSB100-108	108	4		
BMW152	I0BSB100-159	159	6		
BMW203	I0BSB100-194	194	8		
BMW254	I0BSB100-251	251	10		
BMW305	I0BSB100-294	294	12		

### // B-TYPE COUPLING FEMALE WELD END

B-Type coupling female weld end with O-Ring - Carbon steel (unplated)



AGA Code	SKU Code	Coupling size mm	Pipe size inch		
BFW102	I0B9B200-108	108	4		
BFW152	I0B9B200-159	159	6		
BFW203	I0B9B200-194	194	8		
BFW254	I0B9B200-251	251	10		
BFW305	I0B9B200-294	294	12		

## // P-TYPE COUPLINGS - PERROT / CARDAN COMPATIBLE

### // P-TYPE COUPLING MALE HOSE END

P-Type coupling male hose end - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
PMH102	I119P100-102108	4	102	108	
PMH127	I119P100-125133	5	127	133	
PMH152	I119P100-152159	6	152	159	

### // P-TYPE COUPLING FEMALE HOSE END

P-Type coupling female hose end with lever ring and O-Ring - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Coupling size mm	
PFH102	I119P200-102108	4	102	108	
PFH127	I119P200-125133	5	127	133	
PFH152	I119P200-152159	6	152	159	

### // P-TYPE COUPLING FEMALE O-RING

P-Type coupling female O-Ring - SBR



AGA Code	SKU Code	Coupling size mm			
PG102	ISJM9P-108	108			
PG127	ISJM9P-133	133			
PG152	ISJM9P-159	159			

## // SUCTION HOSE STRAINERS

### // STRAINER BASKET TO B-TYPE MALE COUPLING

Strainer basket to B-Type male coupling with lever ring - Plated steel



AGA Code	SKU Code	Male Coupling mm	Hole size mm		
STB102	I1SSB100-108	108	10		
STB152	I1SSB100-159	159	10		
STB203	I1SSB100-194	194	10		
STB254	I1SSB100-251	251	10		
STB203	I1SSB100-294	294	10		

### // SPLIT STRAINER

Split Strainer to suit B-Type female coupling or Table-D flange - Aluminium



AGA Code	SKU Code	Suits female B-Type size	Suits flange Pattern	Hole size mm	
STS102	I5SSB200-108	108	TABLE-D	40	
STS152	I5SSB200-159	159	TABLE-D	40	
STS203	I5SSB200-194	194	TABLE-D	40	

### // STRAINER BASKET THREADED

Strainer basket to Female BSP - Plated steel



AGA Code	SKU Code	Thread size mm	Thread size inch	Thread type	
STT038	I1ST07F0-038049	40	1 1/2	BSPF	
STT051	I1ST07F0-051060	50	2	BSPF	
STT076	I1ST07F0-076090	80	3	BSPF	
STT102	I1ST07F0-102114	100	4	BSPF	
STT152	I1ST07F0-152165	150	6	BSPF	

### // STRAINER BASKET FLANGED

Strainer basket to flange - Plated steel



AGA Code	SKU Code	Flange size inch	Suits flange Pattern	Hole size mm	
STF102	I1ST10FD-102	4	TABLE-D/E	20	
STF152	I1ST10FD-152	6	TABLE-D/E	20	
STF203	I1ST10FD-203	8	TABLE-D/E	20	
STF254	I1ST10FE-254	10	TABLE-E	28	
STF305	I1ST10FE-305	12	TABLE-D/E	28	

### // FOOT VALVE STRAINER WITH HOSE END

Foot valve with strainer basket to hose end - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm		
FVSH076	I1VFHTST-076000	3	76		
FVSH102	I1VFHTST-102000	4	102		
FVSH152	I1VFHTST-152000	6	152		

### // FOOT VALVE STRAINER FLANGED

Foot valve with strainer basket to flange - Plated steel



AGA Code	SKU Code	Flange size inch	Suits flange Pattern	Hole size mm	
FVSF102	I1VFFEST-102000	4	TABLE-D/E	20	
FVSF152	I1VFFEST-152000	6	TABLE-D/E	20	
FVSF203	I1VFFEST-203000	8	TABLE-D/E	20	

## // VACUUM COUPLINGS

### // T-TYPE VAC COUPLING COMPLETE SET

Travis compatible coupling set with male, female, clamp and seals - Plated steel



AGA Code	SKU Code	Coupling size mm	Coupling size inch	Hose size mm	
TVCS076	I1TRV300-076076	76	3	76	
TVCS102	I1TRV300-102102	102	4	102	
TVCS127	I1TRV300-127127	127	5	127	
TVCS152	I1TRV300-152152	152	6	152	

### // T-TYPE VAC COUPLING MALE HOSE END

Travis compatible coupling male hose end (without seal) - Plated steel



AGA Code	SKU Code	Coupling size mm	Coupling size inch	Hose size mm	
TVMH076	I1TRV100-076076	76	3	76	
TVMH102	I1TRV100-102102	102	4	102	
TVMH127	I1TRV100-127127	127	5	127	
TVMH152	I1TRV100-152152	152	6	152	

### // T-TYPE VAC COUPLING FEMALE HOSE END

Travis compatible coupling female hose end (without seal) - Plated steel



AGA Code	SKU Code	Coupling size mm	Coupling size inch	Hose size mm	
TVFH076	I1TRV200-076076	76	3	76	
TVFH102	I1TRV200-102102	102	4	102	
TVFH127	I1TRV200-127127	127	5	127	
TVFH152	I1TRV200-152152	152	6	152	

### // T-TYPE VAC COUPLING REDUCER

Travis compatible coupling male to female reducer (without seals) - Plated steel



AGA Code	SKU Code	Male size mm	Female size mm		
TVR102076	I1TRVAMF-102076	102	76		
TVR127076	I1TRVAMF-127076	127	76		
TVR127102	I1TRVAMF-127102	127	102		
TVR152076	I1TRVAMF-152076	152	76		
TVR152102	I1TRVAMF-152102	152	102		
TVR152127	I1TRVAMF-152127	152	127		

### // T-TYPE VAC COUPLING WYE

Travis compatible coupling male x female x female wye (without seals) - Plated steel



AGA Code	SKU Code	Male inlet size mm	Female outlet size mm	Female outlet size mm	
TVY152076	I1TRVYMF-152076	152	76	76	
TVY152102	I1TRVYMF-152102	152	102	102	
TVY152127	I1TRVYMF-152127	152	127	127	
TVY152152	I1TRVYMF-152152	152	152	152	

## // VACUUM COUPLINGS

### // T-TYPE VAC COUPLING MALE PLUG

Travis compatible coupling male plug (without seal) - Plated steel



AGA Code	SKU Code	Coupling size mm	Coupling size inch		
TVP076	I1TRV700-076076	76	3		
TVP102	I1TRV700-102102	102	4		
TVP127	I1TRV700-127127	127	5		
TVP152	I1TRV700-152152	152	6		

### // T-TYPE VAC COUPLING CLAMP

Travis compatible coupling clamp - Plated steel



AGA Code	SKU Code	Coupling size mm	Coupling size inch		
TVC076	I1TRVCL-076076	76	3		
TVC102	I1TRVCL-102102	102	4		
TVC127	I1TRVCL-127127	127	5		
TVC152	I1TRVCL-152152	152	6		

### // T-TYPE VAC COUPLING MALE SEAL

Travis compatible coupling male seal - NR



AGA Code	SKU Code	Coupling size mm	Coupling size inch		
TVGM076	INJMTRV-076	76	3		
TVGM102	INJMTRV-102	102	4		
TVGM127	INJMTRV-127	127	5		
TVGM152	INJMTRV-152	152	6		

### // T-TYPE VAC COUPLING FEMALE SEAL

Travis compatible coupling female seal - NR



AGA Code	SKU Code	Coupling size mm	Coupling size inch		
TVGF076	INJFTRV-076	76	3		
TVGF102	INJFTRV-102	102	4		
TVGF127	INJFTRV-127	127	5		
TVGF152	INJFTRV-152	152	6		

**// HOSE END THREADED**

**// COMBINATION HOSE END**

Hose end to male BSPT - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Thread inch	Thread type
HM013	I1607100-013021	1/2	13	1/2	Male BSPT
HM019	I1607100-019027	3/4	19	3/4	Male BSPT
HM025	I1607100-025034	1	25	1	Male BSPT
HM032	I1607100-032042	1 1/4	32	1 1/4	Male BSPT
HM038	I1607100-038049	1 1/2	38	1 1/2	Male BSPT
HM051	I1607100-051060	2	51	2	Male BSPT
HM063	I1607100-063076	2 1/2	63	2 1/2	Male BSPT
HM076	I1607100-076090	3	76	3	Male BSPT
HM102	I1607100-102114	4	102	4	Male BSPT
HM152	I1607100-152165	6	152	6	Male BSPT

**// COMBINATION HOSE END CRIMP**

Hose end with crimp ferrule recess to male BSPT - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Thread inch	Thread type
HMC025	I1707100-025034	1	25	1	Male BSPT
HMC032	I1707100-032042	1 1/4	32	1 1/4	Male BSPT
HMC038	I1707100-038049	1 1/2	38	1 1/2	Male BSPT
HMC051	I1707100-051060	2	51	2	Male BSPT
HMC063	I1707100-063076	2 1/2	63	2 1/2	Male BSPT
HMC076	I1707100-076090	3	76	3	Male BSPT
HMC102	I1707100-102114	4	102	4	Male BSPT
HMC152	I1707100-152165	6	152	6	Male BSPT

**// COMBINATION HOSE END CRIMP**

Hose end with crimp ferrule recess to male BSPT - 316 Stainless steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Thread inch	Thread type
HMC025S	I3707100-025034	1	25	1	Male BSPT
HMC032S	I3707100-032042	1 1/4	32	1 1/4	Male BSPT
HMC038S	I3707100-038049	1 1/2	38	1 1/2	Male BSPT
HMC051S	I3707100-051060	2	51	2	Male BSPT
HMC063S	I3707100-063076	2 1/2	63	2 1/2	Male BSPT
HMC076S	I3707100-076090	3	76	3	Male BSPT
HMC102S	I3707100-102114	4	102	4	Male BSPT
HMC152S	I3707100-152165	6	152	6	Male BSPT

**// COMBINATION HOSE END CRIMP**

Hose end with crimp ferrule recess to male NPT - 316 Stainless steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Thread inch	Thread type
HMC025SN	I3728100-025034	1	25	1	Male NPT
HMC051SN	I3728100-051060	2	51	2	Male NPT
HMC076SN	I3728100-076090	3	76	3	Male NPT
HMC102SN	I3728100-102114	4	102	4	Male NPT
HMC152SN	I3728100-152165	6	152	6	Male NPT

## // HOSE END BUTT WELD

### // BUTT WELD HOSE END CRIMP

Hose end with crimp ferrule recess to butt weld pipe - Carbon steel (unplated)



AGA Code	SKU Code	Hose size inch	Hose size mm	Pipe O.D. mm	
HBC025	I0701100-025034	1	25	34	
HBC032	I0701100-032042	1 1/4	32	42	
HBC038	I0701100-038049	1 1/2	38	49	
HBC051	I0701100-051060	2	51	60	
HBC063	I0701100-063076	2 1/2	63	76	
HBC076	I0701100-076090	3	76	90	
HBC102	I0701100-102114	4	102	114	
HBC152	I0701100-152165	6	152	165	

### // BUTT WELD HOSE END CRIMP

Hose end with crimp ferrule recess to butt weld pipe - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	Pipe O.D. mm	
HBC025S	I3701100-025034	1	25	34	
HBC032S	I3701100-032042	1 1/4	32	42	
HBC038S	I3701100-038049	1 1/2	38	49	
HBC051S	I3701100-051060	2	51	60	
HBC063S	I3701100-063076	2 1/2	63	76	
HBC076S	I3701100-076090	3	76	90	
HBC102S	I3701100-102114	4	102	114	
HBC152S	I3701100-152165	6	152	165	

## // HOSE END MENDER

### // HOSE MENDER LIGHT DUTY

Hose mender light duty - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm		
HJ013	I1656100-013013	1/2	13		
HJ019	I1656100-019019	3/4	19		
HJ025	I1656100-025025	1	25		
HJ032	I1656100-032032	1 1/4	32		
HJ038	I1656100-038038	1 1/2	38		
HJ051	I1656100-051051	2	51		
HJ063	I1656100-063063	2 1/2	63		
HJ076	I1656100-076076	3	76		
HJ102	I1656100-102102	4	102		
HJ152	I1656100-152152	6	152		
HJ203	I1656100-203203	8	203		

### // HOSE MENDER HEAVY DUTY

Hose mender heavy duty with collars for use with safety claw clamps - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm		
HJH013	I1156100-013013	1/2	13		
HJH025	I1156100-025025	1	25		
HJH038	I1156100-038038	1 1/2	38		
HJH051	I1156100-051051	2	51		
HJH076	I1156100-076076	3	76		

## // HOSE ENDS ALFACRIMP™ INDUSTRIAL

### // ALFACRIMP™ HOSE END THREADED NPT

Alfacrimp™ Hose end with Pre-Crimped Ferrule to thread male NPT - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Thread type
ACMN076	I1728M00-076090	3	76	88 - 102	3" Male NPT
ACMN102	I1728M00-102114	4	102	114 - 128	4" Male NPT
ACMN152	I1728M00-152165	6	152	166 - 184	6" Male NPT

### // ALFACRIMP™ HOSE END THREADED NPT

Alfacrimp™ Hose end with Pre-Crimped Ferrule to thread male NPT - Stainless steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Thread type
ACMN076S	I3728M00-076090	3	76	88 - 102	3" Male NPT
ACMN102S	I3728M00-102114	4	102	114 - 128	4" Male NPT
ACMN152S	I3728M00-152165	6	152	166 - 184	6" Male NPT

### // ALFACRIMP™ HOSE END SHOULDERED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to shouldered victaulic - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Shld clamp to suit
ACSV076	I179RL00-076097	3	76	88 - 102	SHC076
ACSV102	I179RL00-102122	4	102	114 - 128	SHC102
ACSV152	I179RL00-152175	6	152	166 - 184	SHC152

### // SHOULDER CLAMP STANDARD 2-BOLT

Shoulder clamp 2-Bolt for low pressure applications - Plated steel



AGA Code	SKU Code	Pipe size inch	Clamp size mm	Max WP PSI	
SHC051	I9C9R-067	2	67	300	
SHC076	I9C9R-097	3	97	300	
SHC102	I9C9R-122	4	122	300	
SHC152	I9C9R-175	6	175	300	

### // ALFACRIMP™ HOSE END GROOVED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to grooved victaulic - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	
ACGV102	I179VL00-102114	4	102	114 - 128	
ACGV152	I179VL00-152168	6	152	166 - 184	

## // HOSE ENDS ALFACRIMP™ INDUSTRIAL

### // ALFACRIMP™ HOSE END FLANGED TABLE-E FIXED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to fixed flange Table-E - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFF102E	I17B2W1B-102102	4	102	114 - 128	4" Table-E
ACFF152E	I17B2W1B-152152	6	152	166 - 184	6" Table-E

### // ALFACRIMP™ HOSE END FLANGED TABLE-E SWIVEL

Alfacrimp™ Hose end with Pre-Crimped Ferrule to swivel flange Table-E - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFS102E	I17B2T2A-102102	4	102	114 - 128	4" Table-E
ACFS152E	I17B2T2A-152152	6	152	166 - 184	6" Table-E

### // ALFACRIMP™ HOSE END FLANGED ANSI-150 FIXED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to fixed flange ANSI-150 - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFF076A	I17BEW7B-076076	3	76	88 - 102	3" ANSI-150
ACFF102A	I17BEW7B-102102	4	102	114 - 128	4" ANSI-150
ACFF152A	I17BEW7B-152152	6	152	166 - 184	6" ANSI-150

### // ALFACRIMP™ HOSE END FLANGED ANSI-150 SWIVEL

Alfacrimp™ Hose end with Pre-Crimped Ferrule to swivel flange ANSI-150 - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFS076A	I17BET9A-076076	3	76	88 - 102	3" ANSI-150
ACFS102A	I17BET9A-102102	4	102	114 - 128	4" ANSI-150
ACFS152A	I17BET9A-152152	6	152	166 - 184	6" ANSI-150

### // ALFACRIMP™ HOSE END FLANGED ANSI-150 FIXED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to fixed flange ANSI-150 - Stainless steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFF076AS	I37BEW7B-076076	3	76	88 - 102	3" ANSI-150
ACFF102AS	I37BEW7B-102102	4	102	114 - 128	4" ANSI-150
ACFF152AS	I37BEW7B-152152	6	152	166 - 184	6" ANSI-150

### // ALFACRIMP™ HOSE END FLANGED ANSI-150 SWIVEL

Alfacrimp™ Hose end with Pre-Crimped Ferrule to swivel flange ANSI-150 - Stainless steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose OD mm min - max	Flange type
ACFS076AS	I37BET9A-076076	3	76	88 - 102	3" ANSI-150
ACFS102AS	I37BET9A-102102	4	102	114 - 128	4" ANSI-150
ACFS152AS	I37BET9A-152152	6	152	166 - 184	6" ANSI-150

## // HOSE END ALFACRIMP™ CONCRETE

### // ALFACRIMP™ HOSE END SHOULDERED STYLE

Alfacrimp™ Hose end with Pre-Crimped Ferrule to shouldered style - Hardened steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Pipe size inch	Clamp size mm
CEMS051067	IV39RL00-051067	2	51	2	67
CEMS063097	IV39RL00-063097	2 1/2	63	3	97
CEMS076097	IV39RL00-076097	3	76	3	97
CEMS076127	IV39RL00-076127	3	76	4 1/2	127
CEMS090122	IV39RL00-090122	3 1/2	90	4	122
CEMS090127	IV39RL00-090127	3 1/2	90	4 1/2	127
CEMS102122	IV39RL00-102122	4	102	4	122

### // ALFACRIMP™ HOSE END VICTAULIC STYLE

Alfacrimp™ Hose end with Pre-Crimped Ferrule to victaulic style - Hardened steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Pipe size inch	Clamp size mm
CEMV051089	IV39VL00-051089	2	51	3 1/2	89
CEMV063089	IV39VL00-063089	2 1/2	63	3 1/2	89
CEMV102127	IV39VL00-102127	4	102	5	127
CEMV127148	IV39VL00-127148	5	127	5 1/2	148

### // ALFACRIMP™ HOSE END THREADED

Alfacrimp™ Hose end with Pre-Crimped Ferrule to female BSPP - Hardened steel for concrete use



AGA Code	SKU Code	Hose ID inch	Hose ID mm	Thread inch	Thread type
CEMF051	IV306F00-051060	2	51	2	BSPP

### // SHOULDER CLAMP HIGH PRESSURE QUICK RELEASE

Shoulder clamp high pressure quick release for concrete applications - Painted steel



AGA Code	SKU Code	Pipe size inch	Coupling size mm	Max WP PSI	
CEMC067	I939RC00-067000	2	67	1885	
CEMC097	I939RC00-097000	3	97	1885	
CEMC122	I939RC00-122000	4	122	1885	
CEMC148	I939RC00-148000	5 1/2	148	1885	
CEMC175	I939RC00-175000	6	175	1885	

### // SHOULDER CLAMP GASKET

Shoulder clamp gasket for all pressure applications - NBR



AGA Code	SKU Code	Pipe size inch	Clamp size mm		
SHG067	IA39RG00-067000	2	67		
SHG097	IA39RG00-097000	3	97		
SHG122	IA39RG00-122000	4	122		
SHG148	IA39RG00-148000	5 1/2	148		
SHG175	IA39RG00-175000	6	175		
SHG232	IA39RG00-232000	8	232		

## // HOSE END FLANGED

### // HOSE END LIGHT DUTY TO FLANGE

Hose end light duty to flange - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Flange size inch	Flange type
FH102E	I1FC8000-102100	4	102	4	TABLE-D/E
FH152E	I1FC8000-152150	6	152	6	TABLE-D/E
FH203E	I1FC8000-203200	8	203	8	TABLE-D/E
FH254D	I1FBZ000-254250	10	254	10	TABLE-D
FH254E	I1FC8000-254250	10	254	10	TABLE-E
FH305D	I1FBZ000-305300	12	306	12	TABLE-D
FH305E	I1FC8000-305300	12	306	12	TABLE-E

### // HOSE END HEAVY DUTY CRIMP TO FLANGE

Hose end heavy duty crimp style to flange - Plated steel



AGA Code	SKU Code	Hose size inch	Hose size mm	Flange size inch	Flange type
FHC102D	I17BZZ00-102100	4	102	4	TABLE-D
FHC102E	I17FC800-102100	4	102	4	TABLE-E
FHC152D	I17BZZ00-152150	6	152	6	TABLE-D
FHC152E	I17FC800-152150	6	152	6	TABLE-E
FHC203D	I17BZZ00-203200	8	203	8	TABLE-D
FHC203E	I17FC800-203200	8	203	8	TABLE-E

### // HOSE END FLANGED MUFF COUPLING

Hose end muff coupling flanged Table-D to suit 706AA hose - Cast aluminium



AGA Code	SKU Code	Hose size inch	Hose size mm	Flange size inch	Flange type
MC051D	I5MBZ61A-051071	2	51	2	TABLE-D/E/A
MC076D	I5MBZ61A-076102	3	76	3	TABLE-D/E
MC102D	I5MBZ61A-102128	4	102	4	TABLE-D
MC152D	I5MBZ61A-152184	6	152	6	TABLE-D
MC203D	I5MBZ61A-203235	8	203	8	TABLE-D
MC254D	I5MBZ61A-254286	10	254	10	TABLE-D
MC305D	I5MBZ61A-300344	12	306	12	TABLE-D

### // FLANGED REDUCERS TABLE-E

Flange to flanged reducer Table-E - Galvanised steel



Concentric

AGA Code	SKU Code	Flange size inch	Flange size inch	Configuration	Flange type
FRC152102	I1AFC8CR-152102	6	4	CONCENTRIC	TABLE-E
FRC203152	I1AFC8CR-203152	8	6	CONCENTRIC	TABLE-E
FRC254203	I1AFC8CR-254203	10	8	CONCENTRIC	TABLE-E



Eccentric

AGA Code	SKU Code	Flange size inch	Flange size inch	Configuration	Flange type
FRE152102	I1AFC8ER-152102	4	6	ECCENTRIC	TABLE-E
FRE203152	I1AFC8ER-203152	6	8	ECCENTRIC	TABLE-E
FRE254203	I1AFC8ER-254203	8	10	ECCENTRIC	TABLE-E

### // FLANGE GASKET

Flange gasket Table-D - 3mm natural insertion rubber



AGA Code	SKU Code	Flange size inch	Flange size mm	Flange type	Bolt holes
FG076E	IAFBZG080	3	80	TABLE-D/E	4
FG102E	IAFBZG100	4	100	TABLE-D/E	8
FG152E	IAFBZG150	6	150	TABLE-D/E	8
FG203E	IAFBZG200	8	200	TABLE-D/E	8
FG254D	IAFBZG250	10	250	TABLE-D	8
FG305D	IAFBZG300	12	300	TABLE-D	12

**// HYGIENIC - FOOD**

**// BSM/RJT STANDARD FEMALE CRIMP TAIL**

BSM/RJT standard female crimp tail (without hex nut) - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	BSM/RJT size inch	BSM/RJT size mm
BSMF025	I389YC00-025025	1	25	1	25
BSMF038	I389YC00-038038	1 1/2	38	1 1/2	38
BSMF051025	I389YC00-051025	1	25	2	25
BSMF051038	I389YC00-051038	1 1/2	38	2	38
BSMF063051	I389YC00-063051	2	51	2 1/2	51
BSMF051	I389YC00-051051	2	51	2	51
BSMF063	I389YC00-063063	2 1/2	63	2 1/2	63
BSMF076051	I389YC00-076051	2	51	3	51
BSMF076	I389YC00-076076	3	76	3	76
BSMF102	I389YC00-102102	4	102	4	102

**// BSM/RJT FLAT FACE (CIP) FEMALE CRIMP TAIL**

BSM/RJT flat face CIP female crimp tail (without hex nut) - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	BSM/RJT size inch	BSM/RJT size mm
CIPF025	I389YCOF-025025	1	25	1	25
CIPF038	I389YCOF-038038	1 1/2	38	1 1/2	38
CIPF051	I389YCOF-051051	2	51	2	51
CIPF063	I389YCOF-063063	2 1/2	63	2 1/2	63
CIPF076	I389YCOF-076076	3	76	3	76

**// BSM/RJT FEMALE HEX NUT**

BSM/RJT female hex nut - 304SS



AGA Code	SKU Code	BSM/RJT size inch	BSM/RJT size mm		
BSMN025	I2D9Y03-025	1	25		
BSMN038	I2D9Y03-038	1 1/2	38		
BSMN051	I2D9Y03-051	2	51		
BSMN063	I2D9Y03-063	2 1/2	63		
BSMN076	I2D9Y03-076	3	76		
BSMN102	I2D9Y03-102	4	102		

**// BSM/RJT STANDARD MALE CRIMP TAIL**

BSM/RJT standard male crimp tail (without O-Ring) - 316SS - (not compatible with BSM/RJT flat face CIP female)



AGA Code	SKU Code	Hose size inch	Hose size mm	BSM/RJT size inch	BSM/RJT size mm
BSMM025	I389YCOM-025025	1	25	1	25
BSMM038	I389YCOM-038038	1 1/2	38	1 1/2	38
BSMM051	I389YCOM-051051	2	51	2	51
BSMM063	I389YCOM-063063	2 1/2	63	2 1/2	63
BSMM076	I389YCOM-076076	3	76	3	76
BSMM102	I389YCOM-102102	4	102	4	102

**// HYGIENIC - FOOD**

**// BSM/RJT STANDARD MALE O-RING SEAL**

BSM/RJT standard male o-Ring seal - Food grade EPDM



AGA Code	SKU Code	BSM/RJT size inch	BSM/RJT size mm	BSM/RJT type	Colour
BSMG025	IN9YC-025	1	25	Standard	Black
BSMG038	IN9YC-038	1 1/2	38	Standard	Black
BSMG051	IN9YC-051	2	51	Standard	Black
BSMG063	IN9YC-063	2 1/2	63	Standard	Black
BSMG076	IN9YC-076	3	76	Standard	Black
BSMG102	IN9YC-102	4	102	Standard	Black

**// BSM/RJT FLAT FACE (CIP) MALE SEAL**

BSM/RJT flat face CIP male seal - Food grade EPDM



AGA Code	SKU Code	BSM/RJT size inch	BSM/RJT size mm	BSM/RJT type	Colour
CIPG025	IN9YF-025	1	25	Flat face	Black
CIPG038	IN9YF-038	1 1/2	38	Flat face	Black
CIPG051	IN9YF-051	2	51	Flat face	Black
CIPG063	IN9YF-063	2 1/2	63	Flat face	Black
CIPG076	IN9YF-076	3	76	Flat face	Black

**// TRI-CLOVER/FERRULE CRIMP TAIL**

Tri-Clover/Ferrule crimp tail - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	Face O.D. mm	Clamp size
TCH025	I389YTCL-025050	1	25	50	050
TCH032	I389YTCL-032050	1 1/4	32	50	050
TCH038	I389YTCL-038050	1 1/2	38	50	050
TCH051	I389YTCL-051064	2	51	64	064
TCH063	I389YTCL-063078	2 1/2	63	78	078
TCH076	I389YTCL-076090	3	76	90	090
TCH102	I389YTCL-102119	4	102	119	119

**// TRI-CLOVER/FERRULE CLAMP**

Tri-Clover/Ferrule single pin heavy duty clamp - 304SS



AGA Code	SKU Code	Fitting size inch	Fitting size mm	Face O.D. mm	Max WP PSI +20°C
TCC050	I289YTC-050	1, 1-1/4, 1-1/2	25, 32, 38	50	500
TCC064	I289YTC-064	2	51	64	450
TCC078	I289YTC-078	2 1/2	63	78	400
TCC090	I289YTC-090	3	76	90	350
TCC119	I289YTC-119	4	102	119	300

**// TRI-CLOVER/FERRULE GASKET**

Tri-Clover/Ferrule gasket - Food grade EPDM



AGA Code	SKU Code	Fitting size inch	Fitting size mm	Face O.D. mm	Colour
TCG025	IN9YT-025050	1	25	50	Black
TCG032	IN9YT-032050	1 1/4	32	50	Black
TCG038	IN9YT-038050	1 1/2	38	50	Black
TCG051	IN9YT-051064	2	51	64	Black
TCG063	IN9YT-063078	2 1/2	63	78	Black
TCG076	IN9YT-076090	3	76	90	Black
TCG102	IN9YT-102119	4	102	119	Black

**// HYGIENIC - FOOD**

**// TUBE WELD CRIMP TAIL**

Tube weld crimp tail - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	Tube O.D. inch	Tube gauge
TWH025	I38Q159Y-025025	1	25	1	16
TWH032	I38Q159Y-032032	1 1/4	32	1 1/4	16
TWH038	I38Q159Y-038038	1 1/2	38	1 1/2	16
TWH051	I38Q159Y-051051	2	51	2	16
TWH063	I38Q159Y-063063	2 1/2	63	2 1/2	16
TWH076	I38Q159Y-076076	3	76	3	16
TWH102	I38Q159Y-102102	4	102	4	16

**// AUSTRALIAN WINE THREAD FEMALE CRIMP TAIL**

Australian wine thread female crimp tail (without wing nut or gasket) - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	AWT size inch	AWT size mm
WTF025	I389YA0S-025025	1	25	1	25
WTF038	I389YA0S-038038	1 1/2	38	1 1/2	38
WTF051	I389YA0S-051051	2	51	2	51
WTF076	I389YA0S-076076	3	76	3	76

**// AUSTRALIAN WINE THREAD FEMALE WING NUT**

Australian wine thread female wing nut - Brass



AGA Code	SKU Code	AWT size inch	AWT size mm		
WTN025	I8D9YA3-025	1	25		
WTN038	I8D9YA3-038	1 1/2	38		
WTN051	I8D9YA3-051	2	51		
WTN076	I8D9YA3-076	3	76		

**// AUSTRALIAN WINE THREAD FEMALE GASKET**

Australian wine thread female gasket - Food grade EPDM



AGA Code	SKU Code	AWT size inch	AWT size mm	Colour	
WTG025	IE9YA-025	1	25	Black	
WTG038	IE9YA-038	1 1/2	38	Black	
WTG051	IE9YA-051	2	51	Black	
WTG076	IE9YA-076	3	76	Black	

**// AUSTRALIAN WINE THREAD MALE CRIMP TAIL**

Australian wine thread male crimp tail - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	AWT size inch	AWT size mm
WTM051	I389YA0M-051051	2	51	2	51
WTM076	I389YA0M-076076	3	76	3	76

**// HYGIENIC - FOOD**

**// DIN 11851 FEMALE CRIMP TAIL**

DIN 11851 female crimp tail - 316SS



AGA Code	SKU Code	Hose size inch	Hose size mm	DIN size inch	DIN size mm
DINF025	I389YD00-025025	1	25	1	25
DINF038	I389YD00-038038	1 1/2	38	1 1/2	38
DINF051	I389YD00-051051	2	51	2	51
DINF063	I389YD00-063063	2 1/2	63	2 1/2	63
DINF076	I389YD00-076076	3	76	3	76

**// DIN 11851 FEMALE ROUND NUT**

DIN 11851 female round nut slotted - 304SS



AGA Code	SKU Code	DIN size inch	DIN size mm		
DINN025	I2D9YD3-025	1	25		
DINN038	I2D9YD3-038	1 1/2	38		
DINN051	I2D9YD3-051	2	51		
DINN063	I2D9YD3-063	2 1/2	63		
DINN076	I2D9YD3-076	3	76		

**// HYGIENIC FITTING CRIMP FERRULE**

Hygienic fitting crimp ferrule - 304SS



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose O.D. mm	
CFF025	I2089Y025-034038	1	25	35 - 37	
CFF032	I2089Y032-043047	1 1/4	32	42 - 45	
CFF0381	I2089Y038-048052	1 1/2	38	48 - 51	
CFF0382	I2089Y038-052056	1 1/2	38	52 - 55	
CFF0511	I2089Y051-060065	2	51	61 - 64	
CFF0512	I2089Y051-065069	2	51	65 - 67	
CFF063	I2089Y063-074078	2 1/2	63	74 - 77	
CFF0761	I2089Y076-087092	3	76	88 - 91	
CFF0762	I2089Y076-092095	3	76	91 - 94	
FF102120	I2089Y102-116120	4	102	114 - 117	
CFF1022	I2089Y102-121125	4	102	121 - 123	

**// LIFTING PLUG**

Lifting plug BSM/RJT male - Nylon



AGA Code	SKU Code	BSM/RJT size inch	BSM/RJT thread	Colour	
BSMP076	IPA9Y0Y-076	3	Male	Yellow	

**// HOSE BEAD**

Hose bead - Nylon



AGA Code	SKU Code	Hose size inch	Hose size mm	Hose O.D. mm	Colour
HB051	IPHBY051-062065	2	51	62 - 65	Yellow
HB076	IPHBY076-088092	3	76	88 - 92	Yellow

**// THREAD PROTECTOR**

Thread protector - Rubber



AGA Code	SKU Code	Fitting size inch	Fitting size mm	Outside dia. mm	Inside dia. mm
TP051	IN9PB-051	2	51	110	60
TP076	IN9PB-076	3	76	130	85

## // SANDBLAST COUPLINGS

### // HOSE COUPLING - NYLON

Sandblast hose coupling - Nylon



AGA Code	SKU Code	Hose O.D. mm	Coupling code		
SBC033N	IRSBC-033	33	Q1M		
SBC039N	IRSBC-039	39	Q1		
SBC048N	IRSBC-048	48	Q2		
SBC055N	IRSBC-055	55	Q3		
SBC060N	IRSBC-060	60	Q4		

### // HOSE COUPLING - PLATED STEEL

Sandblast hose coupling - Plated steel



AGA Code	SKU Code	Hose O.D. mm	Coupling code		
SBC033Z	I1SBC-033	33	Q1M		
SBC039Z	I1SBC-039	39	Q1		
SBC048Z	I1SBC-048	48	Q2		
SBC055Z	I1SBC-055	55	Q3		
SBC060Z	I1SBC-060	60	Q4		

### // HOSE COUPLING - BRASS

Sandblast hose coupling - Brass



AGA Code	SKU Code	Hose O.D. mm	Coupling code		
SBC033B	I8SBC-033	33	Q1M		
SBC039B	I8SBC-039	39	Q1		
SBC048B	I8SBC-048	48	Q2		
SBC055B	I8SBC-055	55	Q3		
SBC060B	I8SBC-060	60	Q4		

### // HOSE COUPLING GASKET

Gasket for nylon hose couplings and adaptors - Rubber



AGA Code	SKU Code	Gasket code			
SBCGN	ISJBS-001	RB1			

### // HOSE COUPLING GASKET

Gasket for metal hose couplings and adaptors - Rubber



AGA Code	SKU Code	Gasket code			
SBCGM	ISJBS-002	RB2			

## // SANDBLAST COUPLINGS

### // NOZZLE HOLDER COARSE - NYLON

Sandblast nozzle holder coarse thread - Nylon



AGA Code	SKU Code	Hose O.D. mm	Coupling code	Internal gasket	
SBNC033	IRNHC-033	33	MHE1M	NO	
SBNC039	IRNHC-039	39	MHE1	YES	
SBNC048	IRNHC-048	48	MHE2	YES	
SBNC055	IRNHC-055	55	MHE3	NO	

### // NOZZLE HOLDER BSP - NYLON

Sandblast nozzle holder BSP thread - Nylon



AGA Code	SKU Code	Hose O.D. mm	Coupling code	Internal gasket	
SBNB033	IRNHB-033	33	HE1M	NO	
SBNB039	IRNHB-039	39	HE1	NO	
SBNB048	IRNHB-048	48	HE2	NO	
SBNB055	IRNHB-055	55	HE3	NO	

### // NOZZLE HOLDER GASKET

Gasket for sandblast nozzle holder - Rubber



AGA Code	SKU Code	Gasket code	Gasket ID mm	Nozzle Code	
SBNG025	ISJBS-003	MEH-1R	25	MHE1	
SBNG032	ISJBS-004	MEH-2R	32	MHE2	

### // COUPLING ADAPTOR BSP - NYLON

Sandblast coupling adaptor with female BSP thread - Nylon



AGA Code	SKU Code	Coupling code	Thread size inch	Thread type	
SBA032N	IRSBA-032	SB1	1 1/4	BSP Female	
SBA038N	IRSBA-038	SB2	1 1/2	BSP Female	

### // COUPLING ADAPTOR BSP - PLATED STEEL

Sandblast coupling adaptor with female BSP thread - Plated steel



AGA Code	SKU Code	Coupling code	Thread size inch	Thread type	
SBA032Z	I1SBA-032	SB1	1 1/4	BSP Female	
SBA038Z	I1SBA-038	SB2	1 1/2	BSP Female	

### // COUPLING ADAPTOR BSP - BRASS

Sandblast coupling adaptor with female BSP thread - Brass



AGA Code	SKU Code	Coupling code	Thread size inch	Thread type	
SBA032B	I8SBA-032	SB1	1 1/4	BSP Female	
SBA038B	I8SBA-038	SB2	1 1/2	BSP Female	

## // MORTAR COUPLINGS - SYSTEM 23.5

### // HOSE COUPLING - FEMALE

System 23.5 - Female coupler complete with seal - Hose shank - Plated carbon steel



AGA Code	SKU Code	Hose I.D. mm	Head DN mm	W.P. Bar	
M23C051	I938C201-050050	51	50	50	

### // HOSE COUPLING - MALE

System 23.5 - Male coupler - Hose shank - Plated carbon steel



AGA Code	SKU Code	Hose I.D. mm	Head DN mm	W.P. Bar	
M23E051	I938C101-050050	51	50	50	

### // ADAPTOR - TYPE-A

System 23.5 - Male adaptor to BSPP female thread - Plated carbon steel



AGA Code	SKU Code	Thread	Head DN mm	W.P. Bar	
M23A051	I938C606-050060	2" BSPP	50	50	

### // ADAPTOR - TYPE-B

System 23.5 - Female adaptor complete with seal to BSPT male thread - Plated carbon steel



AGA Code	SKU Code	Thread	Head DN mm	W.P. Bar	
M23B051	I938C007-050060	2" BSPT	50	50	

### // ADAPTOR - TYPE-D

System 23.5 - Female adaptor complete with seal to BSPP female thread - Plated carbon steel



AGA Code	SKU Code	Thread	Head DN mm	W.P. Bar	
M23D051	I938C806-050060	2" BSPP	50	50	

## // MORTAR COUPLINGS - SYSTEM 22

### // HOSE COUPLING - FEMALE

System 22 - Female coupler complete with seal - Hose shank - Plated carbon steel



AGA Code	SKU Code	Hose I.D. mm	Head DN mm	W.P. Bar	
M22C035	I938C200-035035	35	35	50	
M22C051	I938C200-050050	51	50	50	

### // HOSE COUPLING - MALE

System 22 - Male coupler - Hose shank - Plated carbon steel



AGA Code	SKU Code	Hose I.D. mm	Head DN mm	W.P. Bar	
M22E035	I938C100-035035	35	35	50	
M22E051	I938C100-050050	51	50	50	

## // VALVES - BRASS

### // BALL VALVE 2 PIECE - LOCKABLE HANDLE

Ball valve 2 piece full flow threaded female BSP lockable handle - AGA approved - Brass



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
BVB006L	I8VB6F6F-013013	1/4	BSP	1/4	BSP
BVB010L	I8VB6F6F-017017	3/8	BSP	3/8	BSP
BVB013L	I8VB6F6F-021021	1/2	BSP	1/2	BSP
BVB019L	I8VB6F6F-027027	3/4	BSP	3/4	BSP
BVB025L	I8VB6F6F-034034	1	BSP	1	BSP
BVB032L	I8VB6F6F-042042	1 1/4	BSP	1 1/4	BSP
BVB038L	I8VB6F6F-049049	1 1/2	BSP	1 1/2	BSP
BVB051L	I8VB6F6F-060060	2	BSP	2	BSP

### // BALL VALVE 2 PIECE

Ball valve 2 piece full flow threaded female BSP non-locking handle - Brass



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
BVB006	I8VB6F6F-013013U	1/4	BSP	1/4	BSP
BVB010	I8VB6F6F-017017U	3/8	BSP	3/8	BSP
BVB013	I8VB6F6F-021021U	1/2	BSP	1/2	BSP
BVB019	I8VB6F6F-027027U	3/4	BSP	3/4	BSP
BVB025	I8VB6F6F-034034U	1	BSP	1	BSP
BVB032	I8VB6F6F-042042U	1 1/4	BSP	1 1/4	BSP
BVB038	I8VB6F6F-049049U	1 1/2	BSP	1 1/2	BSP
BVB051	I8VB6F6F-060060U	2	BSP	2	BSP
BVB063	I8VB6F6F-076076U	2 1/2	BSP	2 1/2	BSP
BVB076	I8VB6F6F-090090U	3	BSP	3	BSP
BVB102	I8VB6F6F-114114U	4	BSP	4	BSP

### // CHECK VALVE SWING TYPE

Check valve swing type threaded female BSP - Brass



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
CVB013	I8VC6F6F-021021F	1/2	BSP	1/2	BSP
CVB019	I8VC6F6F-027027F	3/4	BSP	3/4	BSP
CVB025	I8VC6F6F-034034F	1	BSP	1	BSP
CVB032	I8VC6F6F-042042F	1 1/4	BSP	1 1/4	BSP
CVB038	I8VC6F6F-049049F	1 1/2	BSP	1 1/2	BSP
CVB051	I8VC6F6F-060060F	2	BSP	2	BSP
CVB063	I8VC6F6F-076076F	2 1/2	BSP	2 1/2	BSP
CVB076	I8VC6F6F-090090F	3	BSP	3	BSP
CVB102	I8VC6F6F-114114F	4	BSP	4	BSP

### // GATE VALVE

Gate valve threaded female BSP - Brass



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
GVB013	I8VG6F6F-021021	1/2	BSP	1/2	BSP
GVB019	I8VG6F6F-027027	3/4	BSP	3/4	BSP
GVB025	I8VG6F6F-034034	1	BSP	1	BSP
GVB032	I8VG6F6F-042042	1 1/4	BSP	1 1/4	BSP
GVB038	I8VG6F6F-049049	1 1/2	BSP	1 1/2	BSP
GVB051	I8VG6F6F-060060	2	BSP	2	BSP
GVB063	I8VG6F6F-076076	2 1/2	BSP	2 1/2	BSP
GVB076	I8VG6F6F-090090	3	BSP	3	BSP
GVB102	I8VG6F6F-114114	4	BSP	4	BSP

**// VALVES - STAINLESS STEEL**

**// BALL VALVE 1 PIECE**

Ball valve 1 piece reduced bore threaded female BSP - 316SS



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
BVS1006	I3VB6F6F-0130131	1/4	BSP	1/4	BSP
BVS1010	I3VB6F6F-0170171	3/8	BSP	3/8	BSP
BVS1013	I3VB6F6F-0210211	1/2	BSP	1/2	BSP
BVS1019	I3VB6F6F-0270271	3/4	BSP	3/4	BSP
BVS1025	I3VB6F6F-0340341	1	BSP	1	BSP
BVS1032	I3VB6F6F-0420421	1 1/4	BSP	1 1/4	BSP
BVS1038	I3VB6F6F-0490491	1 1/2	BSP	1 1/2	BSP
BVS1051	I3VB6F6F-0600601	2	BSP	2	BSP

**// BALL VALVE 2 PIECE**

Ball valve 2 piece full flow threaded female BSP - 316SS



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
BVS2006	I3VB6F6F-0130132	1/4	BSP	1/4	BSP
BVS2010	I3VB6F6F-0170172	3/8	BSP	3/8	BSP
BVS2013	I3VB6F6F-0210212	1/2	BSP	1/2	BSP
BVS2019	I3VB6F6F-0270272	3/4	BSP	3/4	BSP
BVS2025	I3VB6F6F-0340342	1	BSP	1	BSP
BVS2032	I3VB6F6F-0420422	1 1/4	BSP	1 1/4	BSP
BVS2038	I3VB6F6F-0490492	1 1/2	BSP	1 1/2	BSP
BVS2051	I3VB6F6F-0600602	2	BSP	2	BSP
BVS2063	I3VB6F6F-0760762	2 1/2	BSP	2 1/2	BSP
BVS2076	I3VB6F6F-0900902	3	BSP	3	BSP
BVS2102	I3VB6F6F-1141142	4	BSP	4	BSP

**// BALL VALVE 3 PIECE**

Ball valve 3 piece full flow threaded female BSP - 316SS



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
BVS3006	I3VB6F6F-0130133	1/4	BSP	1/4	BSP
BVS3010	I3VB6F6F-0170173	3/8	BSP	3/8	BSP
BVS3013	I3VB6F6F-0210213	1/2	BSP	1/2	BSP
BVS3019	I3VB6F6F-0270273	3/4	BSP	3/4	BSP
BVS3025	I3VB6F6F-0340343	1	BSP	1	BSP
BVS3038	I3VB6F6F-0490493	1 1/2	BSP	1 1/2	BSP
BVS3051	I3VB6F6F-0600603	2	BSP	2	BSP
BVS3063	I3VB6F6F-0760763	2 1/2	BSP	2 1/2	BSP
BVS3076	I3VB6F6F-0900903	3	BSP	3	BSP

**// CHECK VALVE SWING TYPE**

Check valve swing type threaded female BSP - 316SS



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
CVS051	I3VC6F6F-060060F	2	BSP	2	BSP

## // VALVES - CARBON STEEL & CAST IRON

### // BALL VALVE - Minquip™ BSPF x BSPF

Minquip™ Mining ball valve 2 piece full flow threaded female BSP - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Thread inch	Thread type
MVFF019	I1MQVTT-019	3/4	BSP	3/4	BSP
MVFF025	I1MQVTT-025	1	BSP	1	BSP
MVFF038	I1MQVTT-038	1 1/2	BSP	1 1/2	BSP
MVFF051	I1MQVTT-051	2	BSP	2	BSP

### // BALL VALVE - Minquip™ Type-A x BSPF

Minquip™ Mining ball valve 2 piece full flow Type-A to female BSP thread - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Claw Distance Internal mm	
MVAF025	I1MQVAT-025	1	BSP	42	

### // BALL VALVE - Minquip™ Type-A x BSPM

Minquip™ Mining ball valve 2 piece full flow Type-A to male BSP thread - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Claw Distance Internal mm	
MVAM025	I1MQVAM-025	1	BSP	42	

### // BALL VALVE - Minquip™ Type-A x NPTF

Minquip™ Mining ball valve 2 piece full flow Type-A to female NPT thread - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Claw Distance Internal mm	
MVAN025	I1MQVAN-025	1	NPT	42	

### // BALL VALVE - Minquip™ Type-A x Type-A

Minquip™ Mining ball valve 2 piece full flow Type-A to Type-A - Plated steel



AGA Code	SKU Code	Claw Distance Internal mm	Claw Distance Internal mm		
MVAA025	I1MQVAA-025	42	42		

**// VALVES - CARBON STEEL & CAST IRON**

**// BALL VALVE - Minquip™ Type-S x BSPF**

Minquip™ Mining ball valve 2 piece full flow Type-S to female BSP thread - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Claw Distance Internal mm	
MVSF025	I1MQVST-025	1	BSP	45	
MVSF038	I1MQVST-038	1 1/2	BSP	74	
MVSF051	I1MQVST-051	2	BSP	74	

**// BALL VALVE - Minquip™ Type-S x NPTF**

Minquip™ Mining ball valve 2 piece full flow Type-S to female NPT thread - Plated steel



AGA Code	SKU Code	Thread inch	Thread type	Claw Distance Internal mm	
MVSN025	I1MQVSN-025	1	NPT	45	

**// BALL VALVE - Minquip™ Type-S x Type-S**

Minquip™ Mining ball valve 2 piece full flow Type-S to Type-S - Plated steel



AGA Code	SKU Code	Claw Distance Internal mm	Claw Distance Internal mm		
MVSS025	I1MQVSS-025	45	45		
MVSS051	I1MQVSS-051	74	74		

**// BALL VALVE - Minquip™ Shouldered x BSPF**

Minquip™ Mining ball valve 2 piece full flow shouldered to female BSP thread - Plated steel



AGA Code	SKU Code	Shoulder size mm	Thread inch	Thread type	
MVVF025	I1MQVVT-025	67	1	BSP	
MVVF051	I1MQVVT-051	67	2	BSP	

**// BALL VALVE - Minquip™ Shouldered x Shouldered**

Minquip™ Mining ball valve 2 piece full flow shouldered to shouldered - Plated steel



AGA Code	SKU Code	Shoulder size mm	Shoulder size mm		
MVVV051	I1MQVVV-051	67	67		

**// BUTTERFLY VALVE - Shouldered x Shouldered**

Butterfly valve shouldered ends - Cast iron



AGA Code	SKU Code	Valve size inch	Shoulder size mm	Shoulder size mm	
VBFS102	I9VY9R9R-100100	4	122	122	

## // CLAMPING SYSTEMS

### // SUPER CLAMPS W1 - PLATED STEEL

Super clamps single bolt - Plated steel



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm	Clamp width mm	
SCZ019	I1LP10-01918	17	19	18	
SCZ021	I1LP10-02118	19	21	18	
SCZ023	I1LP10-02318	21	23	18	
SCZ025	I1LP10-02518	23	25	18	
SCZ027	I1LP10-02718	25	27	18	
SCZ029	I1LP10-02918	27	29	18	
SCZ031	I1LP10-03118	29	31	18	
SCZ034	I1LP10-03418	31	34	18	
SCZ037	I1LP10-03718	34	37	18	
SCZ040	I1LP10-04018	37	40	18	
SCZ043	I1LP10-04318	40	43	18	
SCZ047	I1LP10-04720	43	47	20	
SCZ051	I1LP10-05120	47	51	20	
SCZ055	I1LP10-05520	51	55	20	
SCZ059	I1LP10-05920	55	59	20	
SCZ063	I1LP10-06320	59	63	20	
SCZ068	I1LP10-06820	63	68	20	
SCZ073	I1LP10-07325	68	73	25	
SCZ079	I1LP10-07925	73	79	25	
SCZ085	I1LP10-08525	79	85	25	
SCZ091	I1LP10-09125	85	91	25	
SCZ097	I1LP10-09725	91	97	25	
SCZ104	I1LP10-10425	97	104	25	
SCZ112	I1LP10-11225	104	112	25	
SCZ121	I1LP10-12125	112	121	25	
SCZ130	I1LP10-13025	121	130	25	
SCZ140	I1LP10-14030	130	140	30	
SCZ150	I1LP10-15030	140	150	30	
SCZ162	I1LP10-16230	150	162	30	
SCZ174	I1LP10-17430	162	174	30	
SCZ187	I1LP10-18730	174	187	30	
SCZ200	I1LP10-20030	187	200	30	
SCZ213	I1LP10-21330	200	213	30	
SCZ226	I1LP10-22630	213	226	30	
SCZ239	I1LP10-23930	226	239	30	
SCZ252	I1LP10-25230	239	252	30	

**// CLAMPING SYSTEMS**
**// SUPER CLAMPS W4 - STAINLESS STEEL**

Super clamps single bolt - 304SS



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm	Clamp width mm	
SCS019	I2LP10-01918	17	19	18	
SCS021	I2LP10-02118	19	21	18	
SCS023	I2LP10-02318	21	23	18	
SCS025	I2LP10-02518	23	25	18	
SCS027	I2LP10-02718	25	27	18	
SCS029	I2LP10-02918	27	29	18	
SCS031	I2LP10-03118	29	31	18	
SCS034	I2LP10-03418	31	34	18	
SCS037	I2LP10-03718	34	37	18	
SCS040	I2LP10-04018	37	40	18	
SCS043	I2LP10-04318	40	43	18	
SCS047	I2LP10-04720	43	47	20	
SCS051	I2LP10-05120	47	51	20	
SCS055	I2LP10-05520	51	55	20	
SCS059	I2LP10-05920	55	59	20	
SCS063	I2LP10-06320	59	63	20	
SCS068	I2LP10-06820	63	68	20	
SCS073	I2LP10-07325	68	73	25	
SCS079	I2LP10-07925	73	79	25	
SCS085	I2LP10-08525	79	85	25	
SCS091	I2LP10-09125	85	91	25	
SCS097	I2LP10-09725	91	97	25	
SCS104	I2LP10-10425	97	104	25	
SCS112	I2LP10-11225	104	112	25	
SCS121	I2LP10-12125	112	121	25	
SCS130	I2LP10-13025	121	130	25	
SCS140	I2LP10-14030	130	140	30	
SCS150	I2LP10-15030	140	150	30	
SCS162	I2LP10-16230	150	162	30	
SCS174	I2LP10-17430	162	174	30	
SCS187	I2LP10-18730	174	187	30	
SCS200	I2LP10-20030	187	200	30	
SCS213	I2LP10-21330	200	213	30	
SCS226	I2LP10-22630	213	226	30	
SCS239	I2LP10-23930	226	239	30	
SCS252	I2LP10-25230	239	252	30	
SCS265	I2LP10-26530	252	265	30	
SCS278	I2LP10-27830	265	278	30	
SCS291	I2LP10-29130	278	291	30	
SCS304	I2LP10-30430	291	304	30	
SCS317	I2LP10-31730	304	317	30	
SCS330	I2LP10-33030	317	330	30	

## // CLAMPING SYSTEMS

### // WORM DRIVE CLAMPS W1 - PLATED STEEL

Solid band worm drive clamp - W1 plated steel



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm	Clamp width mm	
WD012	I1WDC09-008012	8	12	9	
WD016	I1WDC09-010016	10	16	9	
WD022	I1WDC09-012022	12	22	9	
WD027	I1WDC12-016027	16	27	12	
WD032	I1WDC12-020032	20	32	12	
WD040	I1WDC12-025040	25	40	12	
WD045	I1WDC12-030045	30	45	12	
WD050	I1WDC12-035050	35	50	12	
WD060	I1WDC12-040060	40	60	12	
WD070	I1WDC12-050070	50	70	12	
WD080	I1WDC12-060080	60	80	12	
WD090	I1WDC12-070090	70	90	12	
WD100	I1WDC12-080100	80	100	12	
WD110	I1WDC12-090110	90	110	12	
WD120	I1WDC12-100120	100	120	12	
WD130	I1WDC12-110130	110	130	12	
WD140	I1WDC12-120140	120	140	12	
WD150	I1WDC12-130150	130	150	12	
WD160	I1WDC12-140160	140	160	12	
WD170	I1WDC12-150170	150	170	12	
WD180	I1WDC12-160180	160	180	12	
WD190	I1WDC12-170190	170	190	12	
WD200	I1WDC12-180200	180	200	12	
WD210	I1WDC12-190210	190	210	12	
WD220	I1WDC12-200220	200	220	12	
WD230	I1WDC12-210230	210	230	12	
WD250	I1WDC12-230250	230	250	12	
WD280	I1WDC12-260280	260	280	12	
WD300	I1WDC12-280300	280	300	12	

**// CLAMPING SYSTEMS**
**// WORM DRIVE CLAMPS W4 - STAINLESS STEEL**

Solid band worm drive clamp - W4 304SS



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm	Clamp width mm	
WD015S	I2WDC08-010016	10	16	8	
WD016S	I2WDC09-008016	8	16	9	
WD020S	I2WDC09-012020	12	20	9	
WD027S	I2WDC12-016027	16	27	12	
WD032S	I2WDC12-020032	20	32	12	
WD040S	I2WDC12-025040	25	40	12	
WD045S	I2WDC12-030045	30	45	12	
WD050S	I2WDC12-035050	35	50	12	
WD060S	I2WDC12-040060	40	60	12	
WD070S	I2WDC12-050070	50	70	12	
WD080S	I2WDC12-060080	60	80	12	
WD090S	I2WDC12-070090	70	90	12	
WD100S	I2WDC12-080100	80	100	12	
WD110S	I2WDC12-090110	90	110	12	
WD120S	I2WDC12-100120	100	120	12	
WD130S	I2WDC12-110130	110	130	12	
WD140S	I2WDC12-120140	120	140	12	
WD150S	I2WDC12-130150	130	150	12	
WD160S	I2WDC12-140160	140	160	12	
WD170S	I2WDC12-150170	150	170	12	
WD180S	I2WDC12-160180	160	180	12	
WD220S	I2WDC12-200220	200	220	12	
WD230S	I2WDC12-210230	210	230	12	
WD250S	I2WDC12-230250	230	250	12	

**// WORM DRIVE CLAMPS W4 - STAINLESS STEEL**

Slotted band worm drive clamp - W4 304SS



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm	Clamp width mm	
WDS016	I2WDC08-006016	6	16	8	
WDS020	I2WDC13-011020	11	20	13	
WDS023	I2WDC13-013023	13	23	13	
WDS027	I2WDC13-014027	14	27	13	
WDS032	I2WDC13-017032	17	32	13	
WDS038	I2WDC13-021038	21	38	13	
WDS044	I2WDC13-021044	21	44	13	
WDS051	I2WDC13-027051	27	51	13	
WDS057	I2WDC13-033057	33	57	13	
WDS064	I2WDC13-040064	40	64	13	
WDS070	I2WDC13-046070	46	70	13	
WDS076	I2WDC13-052076	52	76	13	
WDS083	I2WDC13-059083	59	83	13	
WDS089	I2WDC13-065089	65	89	13	
WDS095	I2WDC13-071095	71	95	13	
WDS102	I2WDC13-078102	78	102	13	
WDS108	I2WDC13-084108	84	108	13	
WDS114	I2WDC13-091114	91	114	13	
WDS127	I2WDC13-048127	48	127	13	
WDS140	I2WDC13-064140	64	140	13	
WDS152	I2WDC13-079152	79	152	13	
WDS165	I2WDC13-092165	92	165	13	

## // CLAMPING SYSTEMS

### // BANDING TOOL

Banding tool for use with band strap and buckles



AGA Code	SKU Code	Band width mm			
BT	IOLLTO	10 - 19			

### // BAND STRAP

Band strap tote pack - 201SS



AGA Code	SKU Code	Band width mm	Pack qty m		
BSS010	I2LLFO-010T	10	30		
BSS013	I2LLFO-013T	13	30		
BSS019	I2LLFO-019T	19	30		

### // BAND STRAP BUCKLES

Band strap buckles - 201SS



AGA Code	SKU Code	Band width mm	Pack qty each		
BBS010	I2LLBO-010	10	100		
BBS013	I2LLBO-013	13	100		
BBS019	I2LLBO-019	19	100		

### // CLAMPING TOOL - CENTRE PUNCH

Clamp tool for use with centre punch preformed clamps



AGA Code	SKU Code				
CPT	IOCP0B				

### // CENTRE PUNCH CLAMPS

Preformed centre punch clamps - 201SS



AGA Code	SKU Code	Hose OD max. mm	Clamp width mm	Pack qty each	
CPC025	I2CP00-025016	25	16	100	
CPC031	I2CP00-031016	31	16	100	
CPC038	I2CP00-038016	38	16	100	
CPC044	I2CP00-044016	44	16	100	
CPC050	I2CP00-050016	50	16	100	
CPC057	I2CP00-057016	57	16	100	
CPC063	I2CP00-063016	63	16	50	
CPC069	I2CP00-069016	69	16	50	
CPC076	I2CP00-076016	76	16	50	
CPC088	I2CP00-088016	88	16	50	
CPC101	I2CP00-101016	101	16	25	
CPC127	I2CP00-127016	127	16	25	
CPC152	I2CP00-152016	152	16	25	
CPC177	I2CP00-177016	177	16	25	

## // CLAMPING SYSTEMS

### // CLAMPING TOOL - ULTRA-LOK

Clamping tool for use with ultra-lok clamps (drill not included)



AGA Code	SKU Code				
ULT	IOULT0				

### // ULTRA-LOK CLAMPS

Preformed ultra-lok clamps - 201SS



AGA Code	SKU Code	Hose OD max. mm	Clamp width mm	Pack qty each	
ULC050	I2UL00-050019	50	19	50	
ULC069	I2UL00-069019	69	19	50	
ULC088	I2UL00-088019	88	19	25	
ULC101	I2UL00-101019	101	19	25	
ULC114	I2UL00-114019	114	19	25	
ULC127	I2UL00-127019	127	19	25	
ULC139	I2UL00-139019	139	19	25	
ULC152	I2UL00-152019	152	19	25	
ULC165	I2UL00-165019	165	19	25	
ULC177	I2UL00-177019	177	19	25	
ULC203	I2UL00-203019	203	19	10	
ULC228	I2UL00-228019	228	19	10	

### // 2-BOLT SADDLE CLAMPS

2-Bolt saddle clamp - Plated steel



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm		
DBC022	I1LP20-02200	17	22		
DBC029	I1LP20-02900	22	29		
DBC034	I1LP20-03400	29	34		
DBC041	I1LP20-04100	33	41		
DBC049	I1LP20-04900	41	49		
DBC060	I1LP20-06000	49	60		
DBC076	I1LP20-07600	60	76		
DBC094	I1LP20-09400	77	94		
DBC114	I1LP20-11400	95	114		
DBC127	I1LP20-12700	106	127		
DBC140	I1LP20-14000	127	140		
DBC154	I1LP20-15400	140	154		
DBC175	I1LP20-17500	156	175		
DBC194	I1LP20-19400	176	194		
DBC225	I1LP20-22500	210	225		
DBC289	I1LP20-28900	252	289		
DBC330	I1LP20-33000	300	330		

### // 2-BOLT SADDLE CLAMPS

2-Bolt saddle clamp DIN 20039A - Plated malleable iron



AGA Code	SKU Code	Hose OD min. mm	Hose OD max. mm		
DBC040D	I9LP20-04000	32	40		
DBC060D	I9LP20-06000	48	60		
DBC076D	I9LP20-07600	60	76		
DBC094D	I9LP20-09400	77	94		
DBC127D	I9LP20-12700	113	127		
DBC175D	I9LP20-17500	155	175		
DBC194D	I9LP20-19400	175	195		
DBC225D	I9LP20-22500	210	225		

## // CLAMPING SYSTEMS

### // SPIRAL CLAMPS - RIGHT HAND

Spiral Clamp right hand (for corrugated hose with clockwise spiral construction) - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose ID mm		
SPC038	I1SCR0-03800	1 1/2	38		
SPC051	I1SCR0-05100	2	51		
SPC063	I1SCR0-06300	2 1/2	63		
SPC076	I1SCR0-07600	3	76		
SPC102	I1SCR0-10200	4	102		
SPC127	I1SCR0-12700	5	127		
SPC152	I1SCR0-15200	6	152		
SPC203	I1SCR0-20300	8	203		

### // SLOTTED CRIMP FERRULES - PLATED STEEL

Slotted crimp ferrules - Plated steel



AGA Code	SKU Code	Hose ID inch	Hose OD min. mm	Hose OD max. mm	
CFZ051066	I107E051-066	2	61	64	
CFZ051069	I107E051-069	2	64	67	
CFZ076092	I107E076-092	3	87	90	
CFZ076095	I107E076-095	3	90	93	
CFZ102119	I107E102-119	4	114	117	
CFZ102122	I107E102-122	4	117	120	
CFZ102132	I107E102-132	4	127	130	
CFZ152171	I107E152-171	6	166	169	
CFZ152174	I107E152-174	6	169	172	
CFZ203225	I107E203-225	8	221	223	

### // SLOTTED CRIMP FERRULES - STAINLESS STEEL

Slotted crimp ferrules - 304SS



AGA Code	SKU Code	Hose ID inch	Hose OD min. mm	Hose OD max. mm	
CFS019033	I207E019-033	3/4	29	33	
CFS025038	I207E025-038	1	35	38	
CFS025041	I207E025-041	1	38	41	
CFS032046	I207E032-046	1 1/4	43	46	
CFS038052	I207E038-052	1 1/2	49	52	
CFS038055	I207E038-055	1 1/2	52	55	
CFS051066	I207E051-066	2	63	66	
CFS051069	I207E051-069	2	66	69	
CFS051074	I207E051-074	2	71	74	
CFS051077	I207E051-077	2	74	77	
CFS063079	I207E063-076079	2 1/2	76	79	
CFS063082	I207E063-079082	2 1/2	79	82	
CFS076092	I207E076-092	3	89	92	
CFS076095	I207E076-095	3	92	95	
CFS102119	I207E102-119	4	116	119	
CFS102122	I207E102-122	4	122	122	
CFS152168	I207E152-165168	6	165	168	
CFS152174	I207E152-174	6	171	174	

### // CRIMP RINGS - 304SS

Crimp rings - 304SS



AGA Code	SKU Code	ID mm	OD mm	Length mm	
CR022	R3YBFF0-0221719	22	25	20	
CR026	R3YBFF0-0261325	26	30	20	
CR029	R3YBFF0-0281625	29	32	20	
CR032	R2YBFF0-0311520	32	35	20	
CR035	R3YBFF0-0351519	35	38	20	
CR039	R2YBFF0-0391520	39	42	20	
CR042	R2YBFF0-0421525	42	45	25	
CR047	R2YBFF0-0471530	47	50	25	
CR057	R2YBFF0-0571550	57	60	50	

## // ALFAGOMMA AUSTRALASIAN BRANCH NETWORK

---

### **BRISBANE**

59 Export St, Lytton QLD 4178  
(07) 3893 5400  
brisbane@alfagomma.com.au

### **EMERALD**

76 Industrial Dr, Emerald QLD 4720  
(07) 4845 4300  
emerald@alfagomma.com.au

### **KALGOORLIE**

5 Williams St, West Kalgoorlie WA 6430  
(08) 9026 1500  
kalgoorlie@alfagomma.com.au

### **MACKAY**

23 Crichtons Rd, Paget QLD 4740  
(07) 4969 2700  
mackay@alfagomma.com.au

### **MELBOURNE**

2 Kingston Park Ct, Scoresby VIC 3180  
(03) 9757 2300  
melbourne@alfagomma.com.au

### **NEWCASTLE**

4 Kennington Dr, Tomago NSW 2322  
(02) 4985 9900  
newcastle@alfagomma.com.au

### **PAGET**

6 Evolution Dr, Paget QLD 4740  
(07) 4960 3100  
paget@alfagomma.com.au

### **PERTH**

1 Tacoma Cct, Canning Vale WA 6155  
(08) 9424 8600  
perth@alfagomma.com.au

### **SYDNEY**

50 Honeycomb Dr, Eastern Creek NSW 2766  
(02) 9853 0900  
sales@alfagomma.com.au

### **AUCKLAND NZ**

51 Greenmount Drive, East Tamaki 2013  
(09) 883 8900  
sales@alfagomma.co.nz



## **NATIONAL CUSTOMER SERVICE CENTRE**

1300 158 144

sales@alfagomma.com.au